


INVITATION TO BID STATE OF LOUISIANA DIVISION OF ADMINISTRATION OFFICE OF STATE PURCHASING				BIDS WILL BE PUBLICLY OPENED: <div style="font-size: 1.2em; font-weight: bold;">NOV 06, 2003 10:00 AM</div>	
=====> VENDOR NO. : SOLICITATION : 2183027 FILE NO. : OPENING DATE : 11/06/03 <div style="border: 1px solid black; height: 80px; width: 100%; margin-top: 10px;"></div>		PURCHASING AGENCY NO. : 107001 SEE NO. 8 BELOW. RETURN BID TO <div style="text-align: right;">10:00 AM</div> <div style="display: flex; justify-content: space-between;"> 2183027 11/06/03 </div> OFFICE OF STATE PURCHASING OFFICE OF STATE PURCHASING POST OFFICE BOX 94095 BATON ROUGE, LA 70804-9095 <div style="display: flex; justify-content: space-between;"> <div> BUYER : PETE JONES, CPPB BUYER PHONE : (225) 342-0274 DATE ISSUED : 10/03/03 REQ. AGENCY : 107001 </div> <div style="text-align: right;">FOLD HERE--></div> </div> OFFICE OF STATE PURCHASING AGENCY REQ. NO. : ISIS REQ. NO. : 1254860 VENDOR PHONE : FISCAL YEAR : 04 CLASS/SUBCLASS : 07051 SCHEDULED BEGIN DATE : 11/15/03 SCHEDULED END DATE : 06/30/04 T-NUMBER : 92207			
<div style="border: 1px solid black; width: 100%; height: 80px; margin: 0 auto;"></div> <p style="font-weight: bold; font-size: 1.1em;">FILL IN VENDOR NUMBER (FEIN), NAME AND ADDRESS ABOVE, BEFORE SUBMITTING BID.</p>					
<i>VEHICLES, MEDIUM & HEAVY DUTY TRUCKS</i>					
TO BE COMPLETED BY VENDOR					
1. _____ PLEASE REMOVE FROM THIS COMMODITY CODE. 2. _____ DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER RECEIPT OF ORDER. 3. _____ % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIRTY (30) DAYS. CASH DISCOUNTS FOR LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTRACTS, CASH DISCOUNTS WILL BE ACCEPTED AND TAKEN BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. 4. _____ BID BOND ATTACHED, _____ CERTIFIED CHECK ATTACHED, _____ OTHER, IF REQUIRED. 5. _____ BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RESULTING ORDER OR CONTRACT).					
INSTRUCTIONS TO BIDDERS					
1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS. 2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER. 3. THIS BID IS TO BE MANUALLY SIGNED IN INK. FOLD HERE--> 4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. 5. AMOUNT OF BID BOND REQUIRED: _____ N/A _____ . 6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED. _____ OR _____ 0% _____ OF BID. 7. DESIRED DELIVERY: _____ 120DAYS ARO _____ 8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECIAL ENVELOPE IF FURNISHED FOR THAT PURPOSE. 9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION. 10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID INFORMATION SHALL BE MADE WITH INK OR TYPEWRITTEN.					
VENDOR PHONE NUMBER: FAX NUMBER:		TITLE		DATE	
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3. (MUST BE SIGNED)			NAME OF BIDDER (TYPED OR PRINTED)		

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	PAGE 2
<p>11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.</p> <p>12. CONFERENCE: NA NA NA</p> <p>13. BID FORMS. ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED: A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND; B. BID FILLED OUT IN PENCIL; AND C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.</p> <p>BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.</p> <p>14. STANDARDS OF QUALITY. ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.</p> <p>15. DESCRIPTIVE INFORMATION. BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.</p> <p>16. BID OPENING. BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.</p> <p>17. AWARDS. THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.</p> <p>18. PRICES . UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.</p> <p>19. DELIVERIES. BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.</p> <p>20. TAXES. VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.</p>			

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	PAGE 3
<p>21. NEW PRODUCTS. UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.</p> <p>22. CONTRACT RENEWALS. UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.</p> <p>23. CONTRACT CANCELLATION. THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.</p> <p>24. DEFAULT OF CONTRACTOR. FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.</p> <p>25. ORDER OF PRIORITY. IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.</p> <p>26. APPLICABLE LAW. ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.</p> <p>27. COMPLIANCE WITH CIVIL RIGHTS LAWS. BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.</p> <p>28. SPECIAL ACCOMMODATION. ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.</p> <p>29. INDEMNITY. CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.</p> <p>30. SIGNATURE AUTHORITY. IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:</p> <ol style="list-style-type: none"> 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY. 			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 4
<p>1 BID DELIVERY INSTRUCTIONS FOR STATE PURCHASING:</p> <p>BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT MAKE DELIVERIES TO OUR PHYSICAL LOCATION.</p> <p>BIDS MAY BE MAILED THROUGH THE U.S. POSTAL SERVICE TO OUR BOX AT: OFFICE OF STATE PURCHASING P O BOX 94095 BATON ROUGE LA 70804-9095</p> <p>BIDS MAY BE DELIVERED BY HAND OR COURIER SERVICE TO OUR PHYSICAL LOCATION AS FOLLOWS:</p> <p>OFFICE OF STATE PURCHASING CLAIBORNE BUILDING, SUITE 2-160 1201 NORTH THIRD STREET BATON ROUGE, LA 70802</p> <p>BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL LOCATION. THE OFFICE OF STATE PURCHASING IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE THE BIDDER'S CHOSEN MEANS OF BID DELIVERY.</p> <p>BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE & TIME SHALL RESULT IN REJECTION OF THE BID.</p> <p>***** PUBLICIZING AWARDS. IN ACCORDANCE WITH L.A.C.34:I.535, UNSUCCESSFUL BIDDERS WILL BE NOTIFIED OF THE AWARD PROVIDED THAT THEY SUBMIT WITH THEIR BID A SELF-ADDRESSED STAMPED ENVELOPE REQUESTING THIS INFORMATION. *****</p> <p>2 TERMS AND CONDITIONS. THIS SOLICITATION CONTAINS ALL TERMS AND CONDITIONS WITH RESPECT TO THE COMMODITIES HEREIN. ANY VENDOR CONTRACTS, FORMS, TERMS OR OTHER MATERIALS SUBMITTED WITH BID MAY CAUSE BID TO BE REJECTED.</p> <p>3 VENDOR'S FORMS. THE PURCHASE/RELEASE ORDER IS THE ONLY BINDING DOCUMENT TO BE ISSUED AGAINST THIS CONTRACT. SIGNING OF VENDOR'S FORMS IS NOT ALLOWED.</p> <p>4 SUBSTITUTES. ONLY BRANDS AND NUMBERS STATED IN THE AWARD ARE APPROVED FOR DELIVERY UNDER THIS CONTRACT AND ANY SUBSTITUTION MUST RECEIVE PRIOR WRITTEN APPROVAL OF THE DIRECTOR OF STATE PURCHASING OR DESIGNEE.</p> <p>5 PRICE REDUCTIONS. WHENEVER THERE IS A REDUCTION IN PRICE, WHICH IS LOWER THAN THE CONTRACT PRICE, OFFERED TO SIMILARLY SITUATED CUSTOMERS CONTRACTING FOR THE SAME PERIOD AND UNDER THE SAME TERMS AND</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	PAGE 5

CONDITIONS, SAID REDUCTION MUST BE PRESENTED DIRECTLY TO THE DIRECTOR OF STATE PURCHASING. NO PRICE REDUCTION ON A STATEWIDE CONTRACT MAY BE OFFERED TO AN AGENCY UNLESS THAT REDUCTION IS OFFERED TO ALL AGENCIES.

6 DELIVERIES. CONTRACTORS WILL MAINTAIN AN ADEQUATE SUPPLY OF ALL ITEMS IN ORDER TO MEET SPECIFIED DELIVERY.

7 INVOICES. INVOICES WILL BE SUBMITTED BY THE CONTRACTOR TO THE USING AGENCY AND THE INVOICE SHALL REFER TO THE DELIVERY TICKET NUMBER, DELIVERY DATE, PURCHASE/RELEASE ORDER NUMBER. QUANTITY, UNIT PRICE, AND DELIVERY POINT. A SEPARATE INVOICE FOR EACH ORDER DELIVERED AND ACCEPTED SHALL BE SUBMITTED BY THE CONTRACTOR IN DUPLICATE DIRECTLY TO THE ACCOUNTING DEPARTMENT OF THE USING AGENCY. INVOICES SHALL SHOW THE AMOUNT OF ANY CASH DISCOUNT AND SHALL BE SUBMITTED ON THE CONTRACTOR'S OWN INVOICE FORM.

8 VENDOR LIST. THE BIDDER WHO SIGNS THE BID WILL BE DESIGNATED AS PRIME CONTRACTOR ON ANY CONTRACT RESULTING FROM THIS SOLICITATION. IF ADDITIONAL DISTRIBUTOR VENDORS ARE AUTHORIZED TO RECEIVE ORDERS FOR ITEMS CONTAINED IN SAID CONTRACT, THE BIDDER MUST SUBMIT WITH THE BID, A LIST OF THOSE ADDITIONAL AUTHORIZED DISTRIBUTORS INCLUDING THE COMPLETE BUSINESS ADDRESS. THE PRIME CONTRACTOR WILL BE RESPONSIBLE FOR THE ACTIONS OF ANY DISTRIBUTOR VENDORS LISTED.

9 COMPLIANCE WITH CIVIL RIGHTS LAWS. BY SUBMITTING AND SIGNING THIS SOLICITATION, THE BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND TITLE VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, THE FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION, WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

10 PREFERENCE. IN ACCORDANCE WITH LOUISIANA REVISED STATUTES 39:1595, A PREFERENCE MAY BE ALLOWED FOR PRODUCTS MANUFACTURED, PRODUCED, GROWN, OR ASSEMBLED IN LOUISIANA OF EQUAL QUALITY.

DO YOU CLAIM THIS PREFERENCE? YES_____

SPECIFY LINE NUMBER (S) : _____

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	PAGE 6

SPECIFY LOCATION WITHIN LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED, PRODUCED, GROWN OR ASSEMBLED: _____

(NOTE: IF MORE SPACE IS REQUIRED, INCLUDE ON SEPARATE SHEET.)

DO YOU HAVE A LOUISIANA BUSINESS WORKFORCE? YES _____ NO _____

IF SO, DO YOU CERTIFY THAT AT LEAST FIFTY PERCENT (50%) OF YOUR LOUISIANA BUSINESS WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS?

YES _____ NO _____

FAILURE TO SPECIFY ABOVE INFORMATION MAY CAUSE ELIMINATION FROM PREFERENCES. PREFERENCES SHALL NOT APPLY TO SERVICE CONTRACTS.

11 COOPERATIVE PURCHASE. POLITICAL SUBDIVISIONS OF THE STATE AND QUASI STATE AGENCIES MAY BE PERMITTED TO PURCHASE FROM CONTRACTS MADE BY THE OFFICE OF STATE PURCHASING. THE BIDDER MAY, AT ITS OPTION, AMEND THIS BID SO THAT ANY CONTRACT AWARDED WILL NOT APPLY TO POLITICAL SUBDIVISIONS OR QUASI AGENCIES.

BIDDER HEREBY AMENDS HIS BID SO THAT ANY CONTRACT AWARDED WILL NOT APPLY TO QUASI STATE AGENCIES OR OTHER POLITICAL SUBDIVISIONS OF THE STATE.

FAILURE TO MARK THE ABOVE WILL CONSTITUTE A WAIVER BY BIDDER OF THE ABOVE OPTION.

12 ACCEPTANCE. UNLESS OTHERWISE SPECIFIED, BIDS ON THIS CONTRACT WILL BE ASSUMED TO BE FIRM FOR ACCEPTANCE FOR A MINIMUM OF 60 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE SPECIFIED CONTRACT PERIOD.

13 CONTRACT REVISIONS. REQUESTS FOR REVISIONS TO THIS CONTRACT MUST BE ADDRESSED TO THE DIRECTOR OF STATE PURCHASING AND SHALL REFER THE CONTRACT ITEM NUMBER WITH JUSTIFICATION OF THE REQUEST. DISTRIBUTOR VENDOR CHANGES, PRICE REDUCTIONS AND JUSTIFIABLE ITEM DELETIONS MAY BE CONSIDERED DURING THE CONTRACT PERIOD. NEW ITEM ADDITIONS WILL BE CONSIDERED ONLY ON THE ANNIVERSARY DATE OF THE CONTRACT. EXCEPTIONS TO THIS WILL BE ALLOWED ONLY WHEN STATE PURCHASING HAS DETERMINED ADDITIONS WILL BE OF SUBSTANTIAL BENEFIT TO THE STATE AND WILL JUSTIFY THE TIME, EFFORT AND COST REQUIRED TO MAKE SUCH ADDITIONS.

CONTRACTOR MUST IMMEDIATELY NOTIFY THE OFFICE OF STATE PURCHASING WHEN ANY DEALER ON THIS CONTRACT IS TERMINATED, RELOCATED OR ADDED. ALL ORDERS PLACED WITH DEALERS PRIOR TO RECEIPT OF SUCH NOTIFICATION BY THE OFFICE OF STATE PURCHASING MUST BE HONORED. REVISIONS WILL BECOME EFFECTIVE ONLY UPON APPROVAL BY THE DIRECTOR OF STATE PURCHASING OR DESIGNEE. BIDDER SHOULD INCLUDE WITH BID A LIST OF ALL PERSONS, IN ADDITION TO THE SIGNER OF THIS BID, WHO ARE AUTHORIZED TO REQUEST REVISIONS TO THIS CONTRACT.

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	PAGE 7
<p>14 CONTRACTUAL PERIOD. THE STATE OF LOUISIANA INTENDS TO AWARD ALL ITEMS FOR AN INITIAL PERIOD, NOT TO EXCEED 12 MONTHS. DELAYS IN AWARDED, BEYOND THE ANTICIPATED STARTING DATE, MAY RESULT IN A CHANGE IN THE CONTRACT PERIOD. IF THE SITUATION OCCURS, AN AWARD MAY BE MADE FOR LESS THAN 12 MONTHS.</p> <p>15 QUANTITIES. THIS IS AN OPEN-ENDED REQUIREMENTS CONTRACT. QUANTITIES SHOWN ARE BASED ON THE PREVIOUS CONTRACT USAGE OR ESTIMATES. WHERE USAGE IS NOT AVAILABLE, A QUANTITY OF 1 INDICATES A LACK OF HISTORY ON THIS ITEM. THE SUCCESSFUL BIDDER MUST SUPPLY AT BID PRICES ACTUAL REQUIREMENTS AS ORDERED WHETHER THE TOTAL OF SUCH REQUIREMENTS ARE MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>16 ORDERS. ALL STATE AGENCIES ARE TO ISSUE CONTRACT RELEASE ORDERS FOR THE ITEMS REQUIRED, AS AND WHEN NEEDED. POLITICAL SUBDIVISIONS OF THE STATE AND QUASI AGENCIES WHO HAVE BEEN AUTHORIZED TO PURCHASE FROM CONTRACTS MADE BY THE OFFICE OF STATE PURCHASING, ARE TO ISSUE THEIR REGULAR PURCHASE ORDERS DIRECTLY TO THE SUPPLIER, MAKING REFERENCE TO THE CONTRACT AND ITEM NUMBER.</p> <p>17 CANCELLATION THE STATE OF LOUISIANA RESERVES THE RIGHT TO CANCEL THIS CONTRACT WITH THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>18 CERTIFICATION OF NO SUSPENSION OR DEBARMENT. BY SIGNING AND SUBMITTING ANY BID FOR \$100,000 OR MORE, THE BIDDER CERTIFIES THAT THEIR COMPANY, ANY SUBCONTRACTORS, OR PRINCIPALS ARE NOT SUSPENDED OR DEBARRED BY THE GENERAL SERVICES ADMINISTRATION (GSA) IN ACCORDANCE WITH THE REQUIREMENTS IN OMB CIRCULAR A-133.</p> <p>A LIST OF PARTIES WHO HAVE BEEN SUSPENDED OR DEBARRED CAN BE VIEWED VIA THE INTERNET AT WWW.ARNET.GOV/EPLS</p> <p>19 IF BIDDING OTHER THAN SPECIFIED, SUFFICIENT INFORMATION SHOULD BE ENCLOSED WITH THE BID IN ORDER TO DETERMINE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS.</p> <p>FAILURE TO COMPLY WITH THIS REQUEST MAY ELIMINATE YOUR BID FROM CONSIDERATION.</p> <p>20 DELIVER TO: DOA/EQUIPMENT RECEIVING AREA 1502 NORTH 17TH STREET BATON ROUGE LA 70802</p> <p>21 METHOD OF AWARD: IT IS THE INTENT OF THE STATE OF LOUISIANA TO AWARD THIS CONTRACT ON AN ALL-OR-NONE OR GROUPED BASIS AS DEEMED IN THE BEST INTEREST OF THE STATE. OTHERWISE, ITEMS WILL BE AWARDED SEPARATELY. THE STATE FURTHER RESERVES THE RIGHT TO REJECT INDIVIDUAL ITEMS FROM ANY ALL-OR-NONE OR GROUPED AWARD, TO REJECT ANY OR ALL BIDS, AND TO WAIVE INFORMALITIES.</p> <p>22 THE ABOVE QUANTITIES ARE ESTIMATED TO BE THE AMOUNT NEEDED. IN THE</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 8

EVENT A GREATER OR LESSER QUANTITY IS NEEDED, THE RIGHT IS RESERVED BY THE STATE OF LOUISIANA TO INCREASE OR DECREASE THE AMOUNT, AT THE UNIT PRICE STATED IN THE BID.

23 AT THE OPTION OF THE STATE OF LOUISIANA AND ACCEPTANCE BY THE CONTRACTOR, THIS CONTRACT MAY BE EXTENDED FOR TWO ADDITIONAL TWELVE (12) MONTH PERIODS AT THE SAME PRICE, TERMS AND CONDITIONS. TOTAL CONTRACT TIME MAY NOT EXCEED THIRTY-SIX (36) MONTHS.

24 IN ORDER TO BE AWARDED THE BID, VENDOR MUST BE LICENSED BY THE LOUISIANA MOTOR VEHICLE COMMISSION IN ACCORDANCE WITH R.S. 32:1251 ET SEQ

25 THIS CONTRACT SHALL BE EFFECTIVE FROM DATE OF AWARD THROUGH JUNE 30, 2004.

26 *****

 NOTICE
 BY SIGNING THE BID, THE BIDDER CERTIFIES HIS COMPLIANCE WITH ALL LICENSING REGULATIONS SET FORTH BY THE LOUISIANA MOTOR VEHICLE COMMISSION.

27
 STATE OF LOUISIANA
 BID PROPOSAL FOR MEDIUM AND HEAVY DUTY TRUCKS
 TRUCKS, GENERAL SPECIFICATIONS

SCOPE

 THE PURPOSE OF THIS BID PROPOSAL IS TO ESTABLISH A CONTRACT WHICH WILL ALLOW THE DIVISION OF ADMINISTRATION TO PURCHASE VEHICLES FOR STATE OF LOUISIANA AGENCIES AND/OR POLITICAL SUBDIVISIONS. PLEASE READ ALL SPECIFICATIONS AND SPECIAL CONDITIONS CAREFULLY; ANY DEVIATION MAY CAUSE YOUR BID TO BE DISQUALIFIED. WHEN "SPECIAL CONDITIONS" DIFFER FROM " PURCHASING RULES AND REGULATIONS" SUCH "SPECIAL CONDITIONS" SHALL APPLY.

DEFINITIONS

 FOR THE PURPOSE OF CLARIFICATION IN THIS BID PROPOSAL, STATE AGENCIES SHALL BE DEFINED AS ALL DEPARTMENTS, DIVISIONS, OFFICES, UNIVERSITIES, VO-TECH SCHOOLS, BOARDS, COMMISSIONS, ETC. WHICH OPERATE UNDER FLEET MANAGEMENT OF THE LOUISIANA PROPERTY ASSISTANCE AGENCY. POLITICAL SUBDIVISIONS ARE DEFINED AS ALL LOCAL AND REGIONAL GOVERNMENTAL AND TAX SUPPORTED ORGANIZATIONS WHICH OPERATE INDEPENDENTLY OF THE STATE SUCH AS POLICE JURIES, CITIES, TOWNS, COUNCILS, HOSPITALS, ETC.

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 9

1. CONTRACT PRICES: SHALL INCLUDE ALL PREPARATION AND TRANSPORTATION CHARGES AND ALL EQUIPMENT LISTED IN THE GENERAL SPECIFICATIONS AND DETAIL SPECIFICATIONS FOR EACH ITEM. ALL PRICES QUOTED SHALL BE FIRM FOR THE CONTRACTURAL PERIOD. ANY GENERAL PRICE REDUCTION OFFERED WHICH IS LOWER THAN THE PRICES QUOTED HEREIN SHALL ALSO BE OFFERED TO THE STATE OF LOUISIANA EXCEPT DURING THE TIME THE CONTRACT AWARD IS UNDER CONSIDERATION.

1A. COMPLIANCE WITH FEDERAL REQUIREMENTS: IT IS ACKNOWLEDGED THAT FEDERAL LAWS, REGULATIONS, POLICIES, AND RELATED ADMINISTRATIVE PRACTICES APPLICABLE TO THIS CONTRACT ON THE DATE OF CONTRACT EXECUTION MAY BE MODIFIED FROM TIME TO TIME. THE CONTRACTOR AGREES THAT THE MOST RECENT OF SUCH FEDERAL REQUIRMENTS WILL GOVERN THE ADMINISTRATION OF THIS CONTRACT. NEW FEDERAL LAWS, REGULATIONS, POLICIES, AND ADMINISTRATIVE PRACTICES MAY BE ESTABLISHED AFTER THE DATE OF CONTRACT EXECUTION AND MAY APPLY TO THE CONTRACT. TO ACHIEVE COMPLIANCE WITH THE CHANGING FEDERAL REQUIREMENT(S), CONTRACTOR MAY BE REQUIRED TO UPGRADE, OR ADD ITEM(S) TO THE MINIMAL SPECIFICATIONS. THE COST DIFFERENCE TO ACHIEVE THE "NEW" FEDERAL REQUIREMENT WILL BE ALLOWED AT MANUFACTURER'S COST. NO ADDITIONAL PROFIT WILL BE ALLOWED. MANUFACTURER'S PRICING PAGES MUST BE PRESENTED TO THE OFFICE OF STATE PURCHASING TO SUBSTANTIATE ADDITIONAL COST TO ACHIEVE COMPLIANCE WITH THE CHANGED FEDERAL REQUIREMENT(S).

1B. ****NOTE: VENDOR IS NOT REQUIRED TO PROVIDE A COMPUTER PRINT OUT OF THE COMPONENT PARTS OF THE VEHICLE(S) BEING BID. ALL THAT IS REQUIRED IS FOR VENDOR TO MARK HIS/HER INTENTION NEXT TO THE SPECIFICATION LINE. MANUFACTURER'S PART NUMBER SHOULD BE WRITTEN IN EACH ASSOCIATED LINE. EXAMPLE: AIR CONDITIONER-FACTORY INSTALLED WITH HEATER C-60 IF A COMPUTER PRINT OUT IS ATTACHED TO THE BID, IT WILL BE EVALUATED AS YOUR BID INTENTIONS, AND IF ITEMS ARE LEFT OFF, OR LISTED IN ERROR, THE BID SHALL BE REJECTED AS BEING NON-RESPONSIVE TO THE BID.

2. CONTRACTUAL PERIOD: CONTRACT SHALL BE EFFECTIVE FROM DATE OF AWARD THROUGH JUNE 30, 2004. DEALER SHALL DELIVER TO THE STATE ALL VEHICLES FOR WHICH ORDERS ARE PLACED UP TO JUNE 30, 2004. IN THE EVENT OF ANY FACTORY CANCELLATION OF ORDERS PLACED PRIOR TO THIS DATE, IT WILL BE THE DEALER'S RESPONSIBILITY TO DELIVER A LIKE VEHICLE FROM STOCK OR A VEHICLE FROM THE NEXT MODEL YEAR AT THE CURRENT CONTRACT PRICE. ANY DEALER NOT FULFILLING THE TERMS OF THIS SECTION WILL BE SUBJECT TO LEGAL ACTION WHICH COULD RESULT IN DEBARMENT FROM DOING FURTHER BUSINESS WITH THE STATE OF LOUISIANA.

3. PURCHASE ORDERS: ALL STATE AGENCIES WHICH CURRENTLY OPERATE UNDER FLEET MANAGEMENT OF THE LOUISIANA PROPERTY ASSISTANCE AGENCY WILL CONTINUE TO SUBMIT THEIR REQUISITIONS (OR PURCHASE ORDERS IF APPLICABLE) TO THE OFFICE OF STATE PURCHASING. PURCHASE ORDERS AND ANY AMENDMENTS/CHANGE ORDERS TO THE PURCHASE ORDER FOR ALL STATE AGENCIES WILL BE ISSUED SOLELY BY THE STATE PURCHASING OFFICE DIRECTLY TO THE DEALER. ONLY THE OFFICE OF

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 10
<p>STATE PURCHASING HAS THE AUTHORITY TO ISSUE AND AMEND ORDERS FOR STATE VEHICLES. DEALER SHALL REFER ANY VERBAL OR WRITTEN ORDERS/CHANGE ORDERS RECEIVED FROM STATE AGENCIES TO STATE PURCHASING FOR PROPER AUTHORIZATION AND DISPOSITION.</p> <p>*****</p> <p>WRITTEN CONFIRMATION OF RECEIPT OF PURCHASE ORDER AND PLACEMENT OF MANUFACTURING ORDER(S) MUST BE RETURNED TO THIS OFFICE WITHIN TEN (10) DAYS AFTER RECEIPT OF PURCHASE ORDER AND SHALL INCLUDE FACTORY ORDER NUMBER(S) AND DATE ORDER WAS PLACED.</p> <p>*****</p> <p>POLITICAL SUBDIVISIONS WILL SEND THEIR PURCHASE ORDERS DIRECTLY TO THE DEALER. STATE PURCHASING WILL NOT ISSUE THE PURCHASE ORDERS OR RECEIVE THE VEHICLES FOR POLITICAL SUBDIVISIONS. POLITICAL SUBDIVISIONS SHALL SUBMIT A COPY OF EACH PURCHASE ORDER ISSUED TO THE OFFICE OF STATE PURCHASING FOR CAPTURING USAGE DATA.</p> <p>*****</p> <p>NON-EXCLUSIVE: THIS CONTRACT IS NON-EXCLUSIVE AND SHALL NOT IN ANY WAY PRECLUDE STATE AGENCIES FROM ENTERING INTO SIMILAR AGREEMENTS AND/OR ARRANGEMENTS WITH OTHER VENDORS OR FROM ACQUIRING SIMILAR, EQUAL, OR LIKE GOODS AND/OR SERVICES FROM OTHER ENTITIES OR SOURCES.</p> <p>*****</p> <p>4. OPTIONAL EQUIPMENT: THE DIVISION OF ADMINISTRATION RESERVES THE RIGHT TO ADD OR DELETE ANY OPTIONAL EQUIPMENT LISTED IN THE FACTORY PRICE LISTS AT DEALERS COST (NO ADDITIONAL PROFIT TO BE MADE ON OPTIONAL ITEMS). A COMPLETELY PRICED FACTORY OPTION SHEET SHOWING DEALERS COST SHOULD BE FURNISHED WITH THIS PROPOSAL FOR EACH ITEM BID. OPTION SHEETS MUST ALSO SHOW DEALER COST ON THE BASIC MODELS BID. A LISTING OF ALL STANDARD FACTORY EQUIPMENT FOR EACH VEHICLE BID SHOULD BE INCLUDED WITH YOUR BID. ALL AVAILABLE FACTORY OPTION PRICE LISTS MUST BE PROVIDED PRIOR TO AWARD, INCLUDING RPO, DSO, LOP, SEO, AND ANY OTHERS WHICH MAY NOT BE SPECIFICALLY LISTED HERE. ADDITIONAL OPTIONS CALLED FOR IN THE BID SCHEDULE MUST BE SUPPLIED AT DEALER COST IF AVAILABLE FROM THE FACTORY. ONLY THOSE OPTIONS WHICH ARE DEALER INSTALLED AND/OR NOT LISTED ON A FACTORY PRICE LIST NEED TO BE PRICED IN THE BID SCHEDULE. PRICE LISTS MUST BE OF LATEST PRICES AVAILABLE PRIOR TO BID OPENEING DATE. ALTERED PRICE LISTS WILL NOT BE ACCEPTED.</p> <p>5. INVOICING: ORIGINAL INVOICE MUST BE SUBMITTED TO USING AGENCY IN DETAIL, REFERENCING APPROPRIATE PURCHASE ORDER NUMBER AND MUST BE ON DEALER'S INVOICE FORMS. TRUCK KEY NUMBERS SHALL ALSO BE REFERENCED ON INVOICE. INVOICES MUST BE SUBMITTED IN FOUR (4) COPIES (INCLUDING ONE (1) NOTORIZED ORIGINAL). INVOICES FOR</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 11
<p>VEHICLES FINANCED THROUGH A THIRD PARTY AS INDICATED ON THE PURCHASE ORDER MUST BE SUBMITTED IN FIVE (5) COPIES (INCLUDING ONE (1) NOTORIZED ORIGINAL AND ONE (1) NOTORIZED TRUE COPY).</p> <p>INVOICE DATES SHALL COINCIDE WITH DATE OF DELIVERY OF VEHICLE. NET 30 PAYMENT TERMS WILL NOT COMMENCE UNTIL THE DIVISION OF ADMINISTRATION ACCEPTS THE VEHICLE AS FULLY COMPLYING WITH CONTRACT SPECIFICATIONS DEALER WILL BE REQUIRED TO ISSUE AFFIDAVITS CORRECTING INVOICE DATES TO COINCIDE WITH THE RE-DELIVERY DATE OF REJECTED VEHICLES.</p> <p>5.A. PURCHASE ORDERS/INVOICES: AWARDED VENDOR IS TO FORWARD TO THE OFFICE OF STATE PURCHASING, A COPY OF ALL PURCHASE ORDERS WITH COPY OF ORIGINAL INVOICE ATRTACHED, SHOWING ALL OPTIONAL ITEMS ORDERED, PART NUMBER OF EACH, PRICE PER ITEM, CONCLUDING WITH A TOTAL OF ALL CHARGES. THIS IS TO BE DONE FOR BOTH STATE PURCHASE ORDERS, AND POLITICAL SUBDIVISIONS PURCHASING DOCUMENTS. VENDOR IS TO PROVIDE THIS AT THE SAME TIME INVOICE IS ISSUED FOR PAYMENT TO USING ENTITY.</p> <p>6. DELIVERY: ALL VEHICLES SHALL BE DELIVERED FULLY SERVICED AND READY FOR USE AND WILL BE ACCEPTED IN ACCORDANCE WITH INDIVIDUAL PURCHASE ORDERS. THE DEALER SHALL BE REQUIRED TO MAKE ANY NECESSARY ADJUSTMENTS OR INSTALL OMITTED EQUIPMENT PRIOR TO ACCEPTANCE OF THE VEHICLE. NO FACILITIES OR PERSONNEL WILL BE PROVIDED BY THE STATE TO HANDLE ANY MAKE-READY ADJUSTMENTS OR EQUIPMENT INSTALLATIONS.</p> <ul style="list-style-type: none"> - STATE OF LOUISIANA AGENCIES' VEHICLES SHALL BE DELIVERED TO THE DIVISION OF ADMINISTRATION, EQUIPMENT RECEIVING AREA, 1502 NORTH 17TH STREET, BATON ROUGE, LOUISIANA, UNLESS OTHERWISE SPECIFIED. <p>OR DIVISION OF ADMINISTRATION, EQUIPMENT RECEIVING AREA, 1059 BRICKYARD LANE, BATON ROUGE, LA.</p> <ul style="list-style-type: none"> - LA. DEPARTMENT OF PUBLIC SAFETY VEHICLES SHALL BE DELIVERED TO THE OFFICE OF STATE POLICE, 265 SOUTH FOSTER DR., BATON ROUGE, LA., UNLESS OTHERWISE SPECIFIED. - LA. DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT VEHICLES SHALL BE DELIVERED TO DOTD, EQUIPMENT SECTION, 1701 FOSS, BATON ROUGE, LA., UNLESS OTHERWISE SPECIFIED. - POLITICAL SUBDIVISIONS WILL BE REQUIRED TO TAKE DELIVERY AT THE DEALERS LOCATION OR REQUEST DELIVERY TO AGENCY LOCATION AT A PER MILE CHARGE. MILEAGE BETWEEN LOCATIONS WILL BE DETERMINED BY THE OFFICIAL ROAD AND MILEAGE MAP OF LOUISIANA, PUBLISHED BY THE DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT, ROOM 100, BATON ROUGE, LA. WHENEVER EITHER OF THESE DELIVERY METHODS ARE USED, THE PURCHASER OF THE VEHICLE WILL BE RESPONSIBLE FOR INSPECTION AND ACCEPTANCE OF VEHICLE. <p>THE RIGHT IS RESERVED TO REJECT ANY BID IN WHOLE OR PART WHERE OPTIONAL EQUIPMENT PRICES REQUESTED IN THE BID SCHEDULE ARE NOT IN LINE WITH OTHER PRICES SUBMITTED. THE RIGHT IS RESERVED TO AWARD ANY ITEM WITH OR WITHOUT AFOREMENTIONED OPTIONAL EQUIPMENT.</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	PAGE 12
<p>VENDOR WILL BE RESPONSIBLE FOR REPORTING TO STATE PURCHASING TOTAL NUMBER OF UNITS ORDERED FOR AWARDED LINE ITEMS.</p> <p>8. ASSIGNMENTS: NO ASSIGNMENTS OF PROCEEDS SHALL BE PERMITTED ON VENDOR SUPPLIED FORMS. VENDOR MUST SUBMIT ASSIGNMENTS PRIOR TO BID AWARD.</p> <p>9. DESIGN: ALL MEDIUM AND HEAVY DUTY TRUCKS AND ALLIED EQUIPMENT SHALL BE NEW MODELS, NEVER BEFORE LICENSED. ALL VEHICLES SHALL BE COMPLETE WITH ALL NECESSARY OPERATING COMPONENTS AND ACCESSORIES CUSTOMARILY FURNISHED AS STANDARD (IF TRIM LEVEL OF CAB IS LISTED AS "DELUXE" IN LITERATURE AS BEING STANDARD, LESSER PRICE TRIM SUCH AS "VOCATIONAL" TRIM WILL BE REJECTED) TOGETHER WITH SUCH MODIFICATIONS AS MAY BE NECESSARY TO ENABLE THE TRUCKS TO FUNCTION RELIABLY AND EFFICIENTLY IN SUSTAINED OPERATION. (IF THE SPECIFICATIONS REQUIRE MODIFICATIONS TO OPERATING COMPONENTS, SUCH AS THE EXHAUST SYSTEM OR DRIVE TRAIN, IT IS EXPECTED THAT ALL NECESSARY ITEMS NEEDED TO MEET THE REQUIREMENTS WILL BE PRICED IN YOUR BID AND WILL BE DELIVERED WITH THE TRUCK, INSTALLED AND WARRANTED). THE TRUCKS AND ALL ALLIED EQUIPMENT SHALL BE DESIGNED TO PERMIT READY ACCESSIBILITY FOR MAINTENANCE PURPOSES WITH MINIMAL DISTURBANCE OF OTHER COMPONENTS OR ASSEMBLIES. THE TERM "HEAVY DUTY" AS USED TO DESCRIBE AN ITEM, SHALL BE DEFINED TO MEAN IN EXCESS OF THE USUAL QUALITY OR CAPACITY THAT IS NORMALLY SUPPLIED WITH THE STANDARD PRODUCTION ITEM. IN THE SPECIFICATIONS, WHERE STANDARD EQUIPMENT IS LISTED, IT SHALL MEAN FACTORY INSTALLED EQUIPMENT ADVERTISED AS STANDARD, UNLESS OTHERWISE SPECIFIED.</p> <p>COMPONENTS, ASSEMBLIES AND ACCESSORIES TO BE DELIVERED TO THE STATE SHALL MEET OR EXCEED ALL REQUIREMENTS OF THIS AND THE APPLICABLE DETAIL SPECIFICATION. APPLICABLE REQUIREMENTS OF THE ENVIRONMENTAL PROTECTION AGENCY REGULATIONS, FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND FEDERAL MOTOR CARRIER SAFETY REGULATIONS THAT ARE IN EFFECT ON THE DATE OF MANUFACTURE.</p> <p>10. EMISSION CONTROLS: ALL VEHICLES AND ENGINES FURNISHED UNDER THESE SPECIFICATIONS SHALL COMPLY WITH THE REGULATIONS OF THE ENVIRONMENTAL PROTECTION AGENCY GOVERNING CONTROL OF AIR POLLUTION FROM NEW MOTOR VEHICLES AND NEW MOTOR VEHICLE ENGINES IN EFFECT ON THE DATE OF MANUFACTURE.</p> <p>11. SUSPENSION SYSTEMS: SUSPENSION SYSTEMS SHALL BE OF ADEQUATE STRENGTH TO SUSTAIN LOADS IMPOSED BY EVENLY AND FULLY LOADED VEHICLE WITHOUT EVIDENCE OF OVERLOAD OR PERMANENT SET.</p> <p>NOTE: ALL FRAME RAILS AND REINFORCEMENT COMBINATIONS USED TO REACH REQUIRED RBM (RESISTING BENDING MOMENT) MUST EXTEND AS A MINIMUM, FROM SPRING HANGER TO SPRING HANGER.</p> <p>CLAUSE FOR TIRES: WHERE 12 PLY OR 14 PLY TIRES ARE SPECIFIED THIS IS A MINIMUM PLY. WHERE ON/OFF ROAD TIRES ARE SPECIFIED MINIMUM ACCEPTABLE CLASSIFICATION WOULD BE MUD OR SNOW RATED.</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 13
		<p>12. CONTROLS AND OPERATING MECHANISMS: ALL CONTROLS AND OPERATING MECHANISMS SHALL BE LOCATED FOR LEFTHAND DRIVE. CONTROLS AND OPERATING MECHANISMS SHALL BE LOCATED FOR READY ACCESS BY THE DRIVER AND SHALL BE CLEARLY IDENTIFIED AS TO FUNCTION.</p> <p>13. HEATER AND DEFROSTER: VEHICLES SHALL BE EQUIPPED WITH HOT WATER HEATING SYSTEMS WITH FRESH AIR INTAKE. DISCHARGE OUTLETS TO THE FLOOR AND TO DEFROSTER LOUVERS SHALL BE PROVIDED.</p> <p>14. EXTERIOR FINISHES: VEHICLE SHALL BE AVAILABLE IN ALL STANDARD FACTORY PRODUCTION COLORS.</p> <p>15. MATERIALS: MATERIALS USED SHALL BE NEW AND THAT QUALITY CONFORMING TO CURRENT ENGINEERING AND MANUFACTURING PRACTICES. MATERIALS SHALL BE FREE OF DEFECTS AND SHALL BE SUITABLE FOR THE INTENDED SERVICE.</p> <p>16. SERVICE AND REPAIR: THE STATE OF LOUISIANA SHALL EXPECT THE MANUFACTURER TO HAVE ADEQUATE STOCKS OF REPLACEMENT PARTS AVAILABLE TO SERVICE STATE VEHICLES AND TO MAKE DELIVERY WITHIN A REASONABLE TIME OF ALL NORMAL REPLACEMENT PARTS TO THEIR DEALERS WHO MAY SERVICE STATE VEHICLES. THE STATE FURTHER EXPECTS THAT WARRANTY SERVICE AND REPAIRS AS WELL AS NON-WARRANTY SERVICE AND REPAIRS WILL BE HANDLED WITHOUT PREJUDICE BY LOCAL DEALERSHIPS THROUGHOUT THE UNITED STATES.</p> <p>17. WARRANTY: VEHICLES PROCURED UNDER THESE SPECIFICATIONS SHALL BE FULLY WARRANTED AGAINST DEFECTIVE MATERIALS OR WORKMANSHIP BY THE MANUFACTURER FOR A PERIOD OF NOT LESS THAN TWELVE (12) MONTHS OR 12,000 MILES FROM DATE OF DELIVERY AND ACCEPTANCE. HOWEVER, IF ADDITIONAL WARRANTY COVERAGE ON THE WHOLE OR ANY COMPONENTS OF THE VEHICLE, IN THE FORM OF TIME AND/OR MILEAGE INCLUDING ANY PRO RATA ARRANGEMENTS, IS NORMALLY EXTENDED TO COMMERCIAL CUSTOMERS, THE STATE SHALL RECEIVE CORRESPONDING WARRANTY BENEFITS.</p> <p>18. RESPONSIBILITY FOR INSPECTION: UNLESS OTHERWISE SPECIFIED IN THE CONTRACT OR PURCHASE ORDER, THE SUPPLIER SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF ALL INSPECTION AND TEST REQUIREMENTS NECESSARY TO ENSURE COMPLIANCE WITH REQUIREMENTS OF THIS AND THE APPLICABLE DETAIL SPECIFICATIONS. THIS ACTION DOES NOT PRECLUDE SUBSEQUENT INSPECTION AND TESTING BY THE STATE OF LOUISIANA TO FURTHER DETERMINE CONFORMANCE WITH SPECIFICATIONS REQUIREMENTS OF QUALITY STANDARDS OF WORKMANSHIP, MATERIAL, AND CONSTRUCTION TECHNIQUES.</p> <p>19. PRE-DELIVERY SERVICING AND ADJUSTMENT: THE DEALER SHALL NOT ATTACH ANY DEALER IDENTIFICATION ADVERTISING OR SIMILAR MATERIAL TO THE VEHICLE. THE VEHICLE SHALL BE CLEAN AND FREE FROM DEFECTS WHEN DELIVERED. PRIOR TO ACCEPTANCE BY THE STATE, THE DEALER SHALL SERVICE AND ADJUST EACH VEHICLE FOR OPERATIONAL USE, TO INCLUDE AS A MINIMUM:</p> <ol style="list-style-type: none"> 1. A LOUISIANA TEMPORARY LICENSE PLATE 2. A FEDERAL D.O.T. INSPECTION STICKER (UNLESS OTHERWISE SPECIFIED ON PURCHASE ORDER). 3. A MINIMUM OF TWELVE (12) GALLONS FUEL. 4. FOCUSING OF LIGHTS 	

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		TIME: 10:00 AM BIDDER:	PAGE 14

5. TUNING OF ENGINE

6. ADJUSTMENTS OF ACCESSORIES

7. CHECKING OF ELECTRICAL, BRAKING, AND SUSPENSION SYSTEMS

8. CHARGING OF BATTERY

9. ALIGNMENT OF FRONT END

10. INFLATION OF TIRES

11. BALANCING OF ALL WHEELS, INCLUDING ANY SPARE

12. COMPLETE LUBRICATION OF ENGINE, CHASSIS AND OPERATING MECHANISMS WITH RECOMMENDED GRADES OF LUBRICANTS FOR THE AMBIENT AIR TEMPERATURE AT THE POINT OF DELIVERY

13. SERVICEING OF COOLING SYSTEM WITH PERMANENT TYPE ANTIFREEZE AND SUMMER COOLANT FOR MINUS 20 DEGREES FAHRENHEIT PROTECTION

14. SERVICING OF WINDSHIELD WASHER RESERVOIR WITH WATER AND APPROPRIATE ADDITIVES.

20. DOCUMENTS: EACH VEHICLE SHALL BE DELIVERED WITH COMPLETE CERTIFICATION OF ORIGIN, ODOMETER DISCLOSURE STATEMENT, TAG APPLICATION, WARRANTY(S), OWNER'S MANUAL(S) AND ANY OTHER NECESSARY CREDENTIALS.

21. DELIVERY: BASED ON REASONABLE PRODUCTION TIMES AND WITH DUE CONSIDERATION TO UNFORESEEN CIRCUMSTANCES, THE STATE SHALL EXPECT THAT DELIVERY OF UNIT(S) COVERED BY THIS SPECIFICATION AND THE APPLICABLE DETAIL SPECIFICATION WILL BE MADE WITHIN ONE HUNDRED TWENTY (120) DAYS OF PLACEMENT OF PURCHASE ORDER, UNLESS OTHERWISE SPECIFIED IN THE INVITATION TO BID. IF FOREGOING TIME OF DELIVERY CANNOT BE MET, INDICATE AS AN EXCEPTION ON SUBMITTED BIDS WITH PROJECTED DATE OF DELIVERY.

22. WITHDRAWAL REQUESTS: BIDS CONTAINING PATENTLY OBVIOUS, UNINTENTIONAL, AND SUBSTANTIAL MECHANICAL, CLERICAL OR MATHEMATICAL ERRORS MAY BE WITHDRAWN BY THE BIDDER ONLY IF CLEAR AND CONVINCING WRITTEN EVIDENCE OF SUCH ERROR IS FURNISHED TO THE DIRECTOR OF STATE PURCHASING WITHIN SEVENTY-TWO (72) HOURS OF THE BID OPENING, EXCLUDING SATURDAYS, SUNDAYS, AND LEGAL HOLIDAYS. SUCH ERRORS MUST BE CLEARLY SUPPORTED BY OBJECTIVE EVIDENCE DRAWN FROM INSPECTION OF THE ORIGINAL WORK PAPERS, DOCUMENTS, OR MATERIALS USED IN THE PREPARATION OF THE ITEM(S) REQUESTED TO BE WITHDRAWN. IF DETERMINED BY THE DIRECTOR OF STATE PURCHASING THAT THE ERRORS ARE SUBSTANTIATED AND THAT THE BID WAS SUBMITTED IN GOOD FAITH, THE WITHDRAWAL SHALL BE ALLOWED. WITHDRAWALS MADE AFTER 72 HOURS OF THE BID OPENING TIME AND DATE MAY BE ASSESSED A PENALTY. THE PENALTY WILL BE THE PRICE BETWEEN THE LOWEST RESPONSIVE SUCCESSFUL BIDDER, AND THE NEXT RESPONSIVE BIDDER, MULTIPLIED BY THE 2003 MODEL ESTIMATED CONTRACT USAGE FOR THAT VEHICLE.

24. VENDOR TO STATE ORDER CUT-OFF DATE FOR EACH MODEL BID.

MODEL #1: END OF CONTRACT

MODEL #2: END OF CONTRACT

MODEL #3: END OF CONTRACT

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 16

28

SPECIFICATION #07047B

COMMODITY ITEM NO. 070-47-018603
MEDIUM DUTY CAB AND CHASSIS, GASOLINE
188" MINIMUM WHEELBASE, 25,000 LB. MINIMUM GVWR

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL
SPECIFICATIONS."

- A. SCOPE: THIS SPECIFICATION COVERS A MEDIUM DUTY CAB AND CHASSIS
WITH A 188" MINIMUM WHEELBASE AND 25,000 LB. MINIMUM GVWR.,
GASOLINE - DRIVEN.
- B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS
SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED
AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL
MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.
- C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE
CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING
IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT
DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.

REQUIREMENT	BIDDER'S RESPONSE
VEHICLE ID: YEAR & MAKE	_____
MODEL NUMBER/SERIES:	_____
GVWR: 25,000 LB MINIMUM MUST BE ABLE TO UPGRADE TO 35,000 LBS GVWR	_____
WHEELBASE: 188 INCHES MINIMUM _____ INCHES	
CAB TO AXLE: 120 INCHES MINIMUM _____ INCHES	
ENGINE: HEAVY DUTY 345 CID, V-8, (2V) GASOLINE MIN. _____ SPECIFY SIZE MUST BE ABLE TO UPGRADE TO 230 N.H.P. _____ SPECIFY N.H.P.	
TRANSMISSION: MANUAL, 5 SPEED, EATON, FULLER, SPICER OR EQUAL _____ SPECIFY	
TIRES: DUAL REAR, FOUR (4) 11R22.5F, 14 PLY, TUBELESS RADIAL, ON/OFF ROAD TREAD. FRONT TWO (2) 11R22.5F, 14 PLY TUBELESS RADIAL, HIGHWAY TREAD: _____	
WHEELS: 7.5 X 22.5, 10-HOLE DISC, STEEL	_____
SPARE WHEEL: 7.5 X 22.5, 10-HOLE DISC, STEEL	_____
AXLES: FRONT - 8,000 LB.	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 17
<div><div></div><div>REAR - 19,000 LB TWO SPEED EATON 19050T OR EQUAL WITH AXLE RATIO 5.29/7.36 RATIO SHALL ALLOW SPEED OF 60 MPH</div><div>SPRINGS: FRONT-TO MATCH AXLE.</div><div>REAR-TO MATCH AXLE.</div><div>LOW DEFLECTION REAR SPRINGS NOT ACCEPTABLE</div><div>UNIVERSAL JOINTS:HEAVY DUTY</div><div>AIR CONDITIONER: FACTORY INSTALLED W/HEATER</div><div>SHOCK ABSORBERS: HEAVY DUTY FRONT</div><div>SEATS: BENCH</div><div>STEERING: POWER</div><div>BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM, DRUM OR DISC, HEAVY DUTY MUST BE ABLE TO UPGRADE TO FULL AIR BRAKES SPECIFY:</div><div>FRAME: HEAVY DUTY 18.0, S.M., 50,000 PSI, OR 90,000 RBM MIN.</div><div>CAB: STANDARD WITH BENCH SEATS</div><div>RADIO: AM/FM STEREO W/CLOCK</div><div>RADIATOR: HEAVY DUTY EXTRA COOLING</div><div>CAB: STANDARD WITH BENCH SEATS</div><div>RADIO: AM/FM STEREO WITH CLOCK</div><div>BACKUP ALARM: 97 DB MINIMUM</div><div>ALTERNATOR: 130 AMP, MIN. 1425 WATTS</div><div>BATTERY: 12 VOLT, 600 CCA MINIMUM, MAINTENANCE FREE</div><div>MIRRORS: OUTSIDE DUAL SR. WESTCOAST</div><div>AIR CLEANER: STANDARD EQUIPMENT</div><div>DIRECTIONAL SIGNALS: STANDARD EQUIPMENT</div><div>FUEL TANK:50 GALLON STEEL, STEP TYPE SIDE MOUNTED</div><div>INSTRUMENTATION:TACHOMETER, VOLTMETER/AMPMETER AND OIL PRESSURE GAGES</div><div>ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS</div></div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	
TIME: 10:00 AM		PAGE 18	

SIDE MARKER LIGHTS: STANDARD EQUIPMENT

DAYTIME RUNNING LIGHTS

SIDE REFLECTORS

FIRE EXTINGUISHER 5LB

REFLECTIVE TRIANGLES, 3/KIT

HOOD: TILT HOOD AND FENDERS

OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.

IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES_____ NO_____ %_____

SPECIFY MANUFACTURING LOCATION:_____

29

SPECIFICATION #07047C

COMMODITY ITEM NO. 070-47-018603
MEDIUM DUTY CAB AND CHASSIS, ALTERNATIVE FUEL
188" MINIMUM WHEELBASE, 25,000 LB. MINIMUM GVWR

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL SPECIFICATIONS."

A. SCOPE: THIS SPECIFICATION COVERS A MEDIUM DUTY CAB AND CHASSIS WITH A 188" MINIMUM WHEELBASE AND 25,000 LB. MINIMUM GVWR

B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.

C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.

REQUIREMENT

BIDDER'S RESPONSE

VEHICLE ID: YEAR & MAKE

MODEL NUMBER/SERIES:

GVWR: 25,000 LB. MINIMUM MUST BE ABLE TO UPGRADE TO 35,000 LBS GVWR

WHEELBASE: 188 INCHES MINIMUM _____INCHES

CAB TO AXLE: 120 INCHES MINIMUM _____INCHES

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	
TIME: 10:00 AM		PAGE 19	

ENGINE: HEAVY DUTY 345 CID, V-8, MIN., MUST BE ABLE TO UPGRADE TO TO 230 N.H.P. _____SPECIFY SIZE SPECIFY N.H.P._____

TRANSMISSION: MANUAL, 5 SPEED, EATON, FULLER, SPICER OR EQUAL _____SPECIFY

TIRES: DUAL REAR, FOUR (4) 11R22.5F, 14 PLY, TUBELESS RADIAL ON/OFF ROAD TREAD _____

FRONT, TWO (2) 11R22.5F, 14 PLY, TUBELESS RADIAL HIGHWAY TREAD _____

WHEELS: 7.5 X 22.5, 10-HOLE DISC, STEEL _____

SPARE WHEEL: 7.5 X 22.5, 10-HOLE DISC, STEEL _____

AXLES: FRONT - 8,000 LB. _____

REAR - 19,000 LB TWO SPEED EATON 19050T OR EQUAL WITH AXLE _____

RATIO: 5.29/7.36, RATIO SHALL ALLOW SPEED OF 60 MPH _____

SPRINGS: FRONT-TO MATCH AXLE _____

REAR-TO MATCH AXLE _____

LOW DEFLECTION REAR SPRINGS NOT ACCEPTABLE

UNIVERSAL JOINTS: HEAVY DUTY _____

AIR CONDITIONER: FACTORY INSTALLED W/HEATER _____

SHOCK ABSORBERS: HEAVY DUTY FRONT _____

SEATS: BENCH _____

STEERING: POWER _____

BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM, DRUM OR DISC, HEAVY DUTY, MUST BE ABLE TO UPGRADE TO FULL AIR BRAKES, SPECIFY _____

FRAME: HEAVY DUTY 18.0, S.M., 50,000 PSI, OR 900,000 RBM MINIMUM _____

CAB: STANDARD WITH BENCH SEATS _____

RADIO: AM/FM STEREO W/CLOCK _____

BACK-UP ALARM PROVIDE & INSTALL 97DB MIN. _____

RADIATOR: HEAVY DUTY EXTRA COOLING _____

ALTERNATOR: 130 AMP MINIMUM, 1425 WATTS _____

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 20

30

BATTERY: 12 VOLT, 600 CCA MINIMUM, MAINTENANCE FREE _____
 MIRRORS: OUTSIDE DUAL SR. WESTCOAST _____
 AIR CLEANER: STANDARD EQUIPMENT _____
 DIRECTIONAL SIGNALS STANDARD EQUIPMENT _____
 **FUEL TANK(S) : SPECIFY TANK(S) , CAPACITY AND LOCATION _____
 INSTRUMENTATION: TACHOMETER, VOLTMETER/AMPMETER & OIL PRESSURE GAUGES _____
 ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS _____
 SIDE MARKER LIGHTS: STANDARD EQUIPMENT _____
 DAYTIME RUNNING LIGHTS _____
 SIDE REFLECTORS _____
 FIRE EXTINGUISHER 5LB. _____
 REFLECTIVE TRIANGLES, 3/KIT _____
 HOOD: TILT HOOD AND FENDERS _____
 **FUEL TANK(S) : TANKS TO INCLUDE ALL PIPING, CONNECTIONS, IN-DASH
 GAUGE AND SWITCH TO CHANGE TANK.
 PRICE FOR ADDITIONAL TANK AND CAPACITY:\$ _____ GALLONS: _____
 CREDIT FOR DASH MOUNTED GAUGE:\$ _____ PER TANK
 AVERAGE MILES PER GALLON: _____ M.P.G.
 CNG: MILES PER TANK: _____ M.P.T.
 OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE
 TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.
 IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES _____ NO _____ % _____
 SPECIFY MANUFACTURING LOCATION: _____

30

SPECIFICATION #07047F

COMMODITY ITEM NO. 070-47-018594
 MEDIUM DUTY CAB AND CHASSIS, DIESEL
 150" MINIMUM WHEELBASE, 27,000 LB. MINIMUM GVWR

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
 IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 21

SPECIFICATIONS."

- A. *SCOPE: THIS SPECIFICATION COVERS A MEDIUM DUTY CAB AND CHASSIS WITH A 150" MINIMUM WHEELBASE AND 27,000 LB. MINIMUM GVWR, DIESEL - DRIVEN.*
- B. *VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.*
- C. *DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.*

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.

<i>REQUIREMENT</i>	<i>BIDDER'S RESPONSE</i>
<i>VEHICLE ID: YEAR & MAKE</i>	_____
<i>MODEL NUMBER/SERIES</i>	_____
<i>GVWR: 27,000 LB. MINIMUM MUST BE ABLE TO UPGRADE TO 35,000 LBS. GVWR</i>	_____
<i>WHEELBASE: 150 INCHES MINIMUM _____INCHES</i>	
<i>AM/FM STEREO RADIO W/CLOCK</i>	_____
<i>CAB TO AXLE: 83 INCHES MINIMUM _____INCHES</i>	
<i>ENGINE: DIESEL, ELECTRONIC 190 H.P GROSS MIN. _____SPECIFY SIZE</i>	
	_____SPECIFY G.H.P
<i>TRANSMISSION: AUTOMATIC 5 SPEED, ALLISON 2000 _____SPECIFY</i>	
<i>TIRES: RADIAL, SINGLE FRONT, DUAL REAR, STANDARD TIRE FOR UNIT BID, 14 PLY, MINIMUM. TIRES MUST MEET OR EXCEED GVWR</i>	_____
<i>WHEELS: 7.50 X 22.5, 6-HOLE DISC, STEEL</i>	_____
<i>AXLES: FRONT - 6,000 LB.</i>	_____
<i>REAR - 15,000 LB SINGLE</i>	_____
<i>SPEED WITH AXLE (RATIO SHALL ALLOW SPEED OF 60 MPH)</i>	_____
<i>SPRINGS: FRONT-8000 LB. AT GROUND</i>	_____
<i>REAR -19,000 LB. AT GROUND</i>	_____
<i>UNIVERSAL JOINTS: HEAVY DUTY</i>	_____

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 22
<div> <div></div> <div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> </div> </div> <div> <p>AIR CONDITIONER: RE-CIRCULATING WITH HEATER</p> <p>SHOCK ABSORBERS: HEAVY DUTY FRONT</p> <p>SEATS: BENCH</p> <p>STEERING: POWER</p> <p>BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM DRUM OR DISC, HEAVY DUTY SPECIFY</p> <p>FRAME: 900,000 RBM MINIMUM</p> <p>RADIATOR: HEAVY DUTY EXTRA COOLING</p> <p>ALTERNATOR: 130 AMP MINIMUM</p> <p>BATTERY: 12 VOLT, MAINTENANCE FREE, 2 EACH AT 550 CCA 1100 TOTAL MIN.</p> <p>MIRRORS: OUTSIDE DUAL SR. WESTCOAST</p> <p>AIR CLEANER: STANDARD EQUIPMENT</p> <p>DIRECTIONAL SIGNALS: STANDARD EQUIPMENT</p> <p>FUEL TANK: 45 GALLON STEEL, STEP TYPE, SIDE MOUNTED</p> <p>INSTRUMENTATION: TACHOMETER, HOURMETER, VOLTMETER/AMPMETER AND OIL OIL PRESSURE GAUGES</p> <p>ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS</p> <p>BACK-UP ALARM 97DB MINIMUM</p> <p>SIDE MARKER LIGHTS: STANDARD EQUIPMENT</p> <p>DAYTIME RUNNING LIGHTS</p> <p>SIDE REFLECTORS</p> <p>5 LB. FIRE EXTINGUISHER</p> <p>REFLECTIVE TRIANGLES, 3/KIT</p> <p>HOOD: TILT HOOD AND FENDERS</p> <p>EXTERIOR COLOR: WHITE - CAB & CHASSIS</p> <p>OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.</p> <p>IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES____ NO____ %____</p> <p>SPECIFY MANUFACTURING LOCATION:_____</p> </div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 23

31

SPECIFICATION #07047G

COMMODITY ITEM NO. 070-47-018595
MEDIUM DUTY CAB AND CHASSIS, DIESEL
150" MINIMUM WHEELBASE, 27,000 LB. MINIMUM GVWR,
STAKE BODY, COMPLETE WITH METAL STAKES

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL
SPECIFICATIONS."

- A. SCOPE: THIS SPECIFICATION COVERS A MEDIUM DUTY CAB AND CHASSIS
WITH A 150" MINIMUM WHEELBASE AND 27,000 LB. MINIMUM GVWR,
DIESEL - DRIVEN.
- B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS
SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED
AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL
MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.
- C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE
CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING
IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT
DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.

REQUIREMENT	BIDDER'S RESPONSE
VEHICLE ID: YEAR & MAKE	_____
MODEL NUMBER/SERIES	_____
GVWR: 27,000 LB. MINIMUM MUST BE ABLE TO UPGRADE TO 35,000 LBS GVWR	_____
WHEELBASE: 150 INCHES MINIMUM _____INCHES	
CAB TO AXLE: 83 INCHES MINIMUM _____INCHES	
ENGINE: DIESEL, ELECTRONIC 190 H.P GROSS MIN. _____SPECIFY SIZE	
	_____SPECIFY G.H.P.
TRANSMISSION: AUTOMATIC 5 SPEED, ALLISON 2000 _____SPECIFY	
TIRES: RADIAL, SINGLE FRONT, DUAL REAR, STANDARD TIRE FOR UNIT BID, 14 PLY MINIMUM. TIRS MUST MEET OR EXCEED GVWR _____	
WHEELS: 7.50 X 22.5, 10-HOLE DISC, STEEL _____	
AXLES: FRONT - 6,000 LB. REAR - 15,000 LB SINGLE SPEED WITH AXLE RATIO SHALL ALLOW SPEED OF 60 MPH _____	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 24
<div><div></div><div><div></div><div></div></div><div>SPRINGS: FRONT - 6000 LB. AT GROUND</div><div>REAR - 15,000 LB. AT GROUND</div><div>UNIVERSAL JOINTS: HEAVY DUTY</div><div>AIR CONDITIONER: FACTORY INSTALLED W/HEATER</div><div>SHOCK ABSORBERS: HEAVY DUTY FRONT</div><div>SEATS: BENCH</div><div>STEERING: POWER</div><div>BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM DRUM OR DISC, HEAVY DUTY SPECIFY</div><div>FRAME: 624,000 RBM MINIMUM</div><div>CAB: STANDARD WITH BENCH SEATS</div><div>RADIO: AM/FM STEREO W/CLOCK</div><div>RADIATOR: HEAVY DUTY EXTRA COOLING</div><div>ALTERNATOR: 130 AMP MINIMUM</div><div>BATTERY: 12 VOLT, MAINTENANCE FREE, 2 EACH AT 550 CCA (1100 TOTAL MIN)</div><div>MIRRORS: OUTSIDE DUAL SR. WESTCOAST</div><div>AIR CLEANER: STANDARD EQUIPMENT</div><div>DIRECTIONAL SIGNALS: STANDARD EQUIPMENT</div><div>FUEL TANK: 45 GALLON STEEL, STEP TYPE, SIDE MOUNTED</div><div>INSTRUMENTATION: TACHOMETER, HOURMETER, VOLTMETER/AMPMETER AND OIL PRESSURE GAUGES</div><div>ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS</div><div>SIDE MARKER LIGHTS: STANDARD EQUIPMENT</div><div>DAYTIME RUNNING LIGHTS</div><div>SIDE REFLECTORS</div><div>5 LB. FIRE EXTINGUISHER</div><div>REFLECTIVE TRIANGLES, 3/KIT</div><div>HOOD: TILT HOOD AND FENDERS</div><div>BACKUP ALARM: PROVIDE & INSTALL, 97DB MIN.</div></div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	
TIME: 10:00 AM		PAGE 25	

STAKE BODY: HEAVY DUTY OAK WOOD FLOOR COMPLETE WITH METAL STAKES

TAILGATE LIFT: 2000 LB. CAPACITY, FLIPAWAY TYPE 32" X 84" WITH 12" RAMPSS

EXTERIOR COLOR: WHITE - CAB & CHASSIS

WHITE - STAKE & PLATFORM BODIES

OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.

IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES_____ NO_____ %_____

SPECIFY MANUFACTURING LOCATION:_____

32

SPECIFICATION #07047H

COMMODITY ITEM NO. 070-47-018596
MEDIUM DUTY CAB AND CHASSIS, DIESEL
186" MINIMUM WHEELBASE, 25,500 LB. MINIMUM GVWR,
VAN BODY

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL SPECIFICATIONS."

A. SCOPE: THIS SPECIFICATION COVERS A MEDIUM DUTY CAB AND CHASSIS WITH A 186" MINIMUM WHEELBASE AND 25,500 LB. MINIMUM GVWR, DIESEL - DRIVEN.

B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.

C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.

REQUIREMENT

BIDDER'S RESPONSE

VEHICLE ID: YEAR & MAKE

MODEL NUMBER/SERIES

GVWR: 25,500 LB. MINIMUM MUST BE ABLE TO UPGRADE TO 35,000 LBS. GVWR

WHEELBASE: 86 INCHES MINIMUM _____INCHES

CAB TO AXLE:120 INCHES MINIMUM _____INCHES

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	
		PAGE 26	

ENGINE: DIESEL, ELECTRONIC 190 H.P GROSS MIN. _____SPECIFY SIZE

_____SPECIFY G.H.P.

TRANSMISSION: AUTOMATIC 5 SPEED, ALLISON 2000 _____SPECIFY

TIRES: SINGLE FRONT, DUAL REAR, TIRES MUST MEET OR EXCEED GVWR,
STANDARD TIRE FOR UNIT BID, 14 PLY MINIMUM _____

WHEELS: 7.50 X 22.5, 6-HOLE DISC, STEEL _____

AM/FM STEREO RADIO W/CLOCK _____

AXLES: FRONT - 8,000 LB.
REAR - 15,500 LB SINGLE SPEED WITH AXLE
RATIO SHALL ALLOW SPEED OF 60 MPH _____

SPRINGS: FRONT - 8000 LB. AT GROUND _____

REAR - 15,500 LB. AT GROUND _____

UNIVERSAL JOINTS: HEAVY DUTY _____

AIR CONDITIONER: FACTORY INSTALLED W/HEATER _____

SHOCK ABSORBERS: HEAVY DUTY FRONT _____

SEATS: BENCH _____

STEERING: POWER _____

BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM
DRUM OR DISC, HEAVY DUTY, SPECIFY _____

FRAME: 624,000 RBM MINIMUM _____

RADIATOR: HEAVY DUTY EXTRA COOLING _____

ALTERNATOR: 130 AMP _____

BATTERY: 12 VOLT, MAINTENANCE FREE, 2 EACH AT 550 CCA (1100 TOTAL MIN) _____

MIRRORS: OUTSIDE DUAL SR. WESTCOAST _____

AIR CLEANER: STANDARD EQUIPMENT _____

DIRECTIONAL SIGNALS: STANDARD EQUIPMENT _____

FUEL TANK:45 GALLON STEEL,STEP TYPE, SIDE MOUNTED _____

INSTRUMENTATION: TACHOMETER, HOURLMETER, VOLTMETER/AMPMETER AND OIL
PRESSURE GAUGES _____

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 27

ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY , DUAL SUN VISORS

SIDE MARKER LIGHTS: STANDARD EQUIPMENT

DAYTIME RUNNING LIGHTS

SIDE REFLECTORS

5 LB. FIRE EEXTINGUISHER

REFLECTIVE TRIANGLES, 3/KIT

HOOD: TILT HOOD AND FENDERS

BACKUP ALARM: PROVIDE & INSTALL, 97 DB MIN.

VAN BODY: 16 FT METAL .040 THICK ALUMINUM SKIN, 16' LONG, 8'0" HIGH,
7'8" WIDE INSIDE

TAILGATE LIFT: 2000 LB. CAPACITY, FLIPAWAY TYPE 32" X 84" WITH 12"
RAMPS

EXTERIOR COLOR: WHITE - CAB & CHASSIS

WHITE - VAN BODY

OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE
TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.

IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES_____ NO_____ %_____

SPECIFY MANUFACTURING LOCATION:_____

33

SPECIFICATION #07047I

COMMODITY ITEM NO. 070-47-018597
MEDIUM DUTY LOW PROFILE CAB AND CHASSIS, DIESEL
150" MINIMUM WHEELBASE, 21,000 LB. MINIMUM GVWR

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL
SPECIFICATIONS."

- A. SCOPE: THIS SPECIFICATION COVERS A MEDIUM DUTY CAB AND CHASSIS
WITH A 150" MINIMUM WHEELBASE AND 21,000 LB. MINIMUM GVWR,
DIESEL - DRIVEN.
- B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS
SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED
AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL
MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.
- C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE
CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.

SPECIFICATIONS		INVITATION TO BID																																											
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 28																																										
<p>NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.</p> <table><thead><tr><th>REQUIREMENT</th><th>BIDDER'S RESPONSE</th></tr></thead><tbody><tr><td>VEHICLE ID: YEAR & MAKE</td><td></td></tr><tr><td>MODEL NUMBER/SERIES</td><td></td></tr><tr><td>GVWR: 21,000 LB. MINIMUM MUST BE ABLE TO UPGRADE TO 27,000 LBS.GVWR</td><td></td></tr><tr><td>WHEELBASE: 150 INCHES MINIMUM _____INCHES</td><td></td></tr><tr><td>CAB TO AXLE: 83 INCHES MINIMUM _____INCHES</td><td></td></tr><tr><td>ENGINE: DIESEL, ELECTRONIC 190 H.P. GROSS MIN. _____SPECIFY SIZE _____SPECIFY G.H.P.</td><td></td></tr><tr><td>TRANSMISSION: AUTOMATIC 5 SPEED, ALLIOSON 2000 _____SPECIFY</td><td></td></tr><tr><td>TIRES: DUAL REAR, FOUR (4) 245/70R19.5 12 PLY, TUBELESS RADIAL, ON/OFF ROAD TREAD FRONT, TWO (2) 245/70R19.5 12 PLY TUBELESS RADIAL, HIGHWAY TREAD</td><td></td></tr><tr><td>WHEELS: 6.75 X 19.5, 8-HOLE DISC, STEEL</td><td></td></tr><tr><td>AXLES: FRONT - 6,000 LB.</td><td></td></tr><tr><td>REAR - 15,000 LB SINGLE SPEED WITH AXLE (RATIO SHALL ALLOW SPEED OF 60 MPH)</td><td></td></tr><tr><td>SPRINGS: FRONT - 6000 LB. AT GROUND</td><td></td></tr><tr><td>REAR - 15,000 LB. AT GROUND</td><td></td></tr><tr><td>UNIVERSAL JOINTS: HEAVY DUTY</td><td></td></tr><tr><td>AIR CONDITIONER: FACTORY INSTALLED W/HEATER</td><td></td></tr><tr><td>SHOCK ABSORBERS: HEAVY DUTY FRONT</td><td></td></tr><tr><td>SEATS: BENCH</td><td></td></tr><tr><td>STEERING: POWER</td><td></td></tr><tr><td>BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM DRUM OR DISC, HEAVY DUTY</td><td></td></tr><tr><td>FRAME: 624,000 RBM MINIMUM</td><td></td></tr></tbody></table>				REQUIREMENT	BIDDER'S RESPONSE	VEHICLE ID: YEAR & MAKE		MODEL NUMBER/SERIES		GVWR: 21,000 LB. MINIMUM MUST BE ABLE TO UPGRADE TO 27,000 LBS.GVWR		WHEELBASE: 150 INCHES MINIMUM _____INCHES		CAB TO AXLE: 83 INCHES MINIMUM _____INCHES		ENGINE: DIESEL, ELECTRONIC 190 H.P. GROSS MIN. _____SPECIFY SIZE _____SPECIFY G.H.P.		TRANSMISSION: AUTOMATIC 5 SPEED, ALLIOSON 2000 _____SPECIFY		TIRES: DUAL REAR, FOUR (4) 245/70R19.5 12 PLY, TUBELESS RADIAL, ON/OFF ROAD TREAD FRONT, TWO (2) 245/70R19.5 12 PLY TUBELESS RADIAL, HIGHWAY TREAD		WHEELS: 6.75 X 19.5, 8-HOLE DISC, STEEL		AXLES: FRONT - 6,000 LB.		REAR - 15,000 LB SINGLE SPEED WITH AXLE (RATIO SHALL ALLOW SPEED OF 60 MPH)		SPRINGS: FRONT - 6000 LB. AT GROUND		REAR - 15,000 LB. AT GROUND		UNIVERSAL JOINTS: HEAVY DUTY		AIR CONDITIONER: FACTORY INSTALLED W/HEATER		SHOCK ABSORBERS: HEAVY DUTY FRONT		SEATS: BENCH		STEERING: POWER		BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM DRUM OR DISC, HEAVY DUTY		FRAME: 624,000 RBM MINIMUM	
REQUIREMENT	BIDDER'S RESPONSE																																												
VEHICLE ID: YEAR & MAKE																																													
MODEL NUMBER/SERIES																																													
GVWR: 21,000 LB. MINIMUM MUST BE ABLE TO UPGRADE TO 27,000 LBS.GVWR																																													
WHEELBASE: 150 INCHES MINIMUM _____INCHES																																													
CAB TO AXLE: 83 INCHES MINIMUM _____INCHES																																													
ENGINE: DIESEL, ELECTRONIC 190 H.P. GROSS MIN. _____SPECIFY SIZE _____SPECIFY G.H.P.																																													
TRANSMISSION: AUTOMATIC 5 SPEED, ALLIOSON 2000 _____SPECIFY																																													
TIRES: DUAL REAR, FOUR (4) 245/70R19.5 12 PLY, TUBELESS RADIAL, ON/OFF ROAD TREAD FRONT, TWO (2) 245/70R19.5 12 PLY TUBELESS RADIAL, HIGHWAY TREAD																																													
WHEELS: 6.75 X 19.5, 8-HOLE DISC, STEEL																																													
AXLES: FRONT - 6,000 LB.																																													
REAR - 15,000 LB SINGLE SPEED WITH AXLE (RATIO SHALL ALLOW SPEED OF 60 MPH)																																													
SPRINGS: FRONT - 6000 LB. AT GROUND																																													
REAR - 15,000 LB. AT GROUND																																													
UNIVERSAL JOINTS: HEAVY DUTY																																													
AIR CONDITIONER: FACTORY INSTALLED W/HEATER																																													
SHOCK ABSORBERS: HEAVY DUTY FRONT																																													
SEATS: BENCH																																													
STEERING: POWER																																													
BRAKES: DUAL POWER SPLIT HYDRAULIC SYSTEM DRUM OR DISC, HEAVY DUTY																																													
FRAME: 624,000 RBM MINIMUM																																													

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 29
<div>RADIATOR: HEAVY DUTY EXTRA COOLING</div> <div>ALTERNATOR: 130 AMP.</div> <div>BATTERY: 12 VOLT, MAINTENANCE FREE, 2 EACH AT 550 CCA (1100 TOTAL MIN)</div> <div>MIRRORS: OUTSIDE DUAL SR. WESTCOAST</div> <div>AIR CLEANER: STANDARD EQUIPMENT</div> <div>DIRECTIONAL SIGNALS: STANDARD EQUIPMENT</div> <div>FUEL TANK: 35 GALLON MIN. STEEL, STEP TYPE, SIDE MOUNTED</div> <div>INSTRUMENTATION: TACHOMETER, HOURMETER, VOLTMETER/AMPMETER AND OIL PRESSURE GAUGES</div> <div>ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS</div> <div>AM/FM STEREO RADIO W/CLOCK</div> <div>SIDE MARKER LIGHTS: STANDARD EQUIPMENT</div> <div>DAYTIME RUNNING LIGHTS</div> <div>SIDE REFLECTORS</div> <div>5 LB. FIRE EXTINGUISHER</div> <div>REFLECTIVE TRIANGLES, 3/KIT</div> <div>HOOD: TILT HOOD AND FENDERS</div> <div>BACKUP ALARM: PROVIDE & INSTALL, 97 DB MIN.</div> <div>EXTERIOR COLOR: WHITE - CAB & CHASSIS</div> <div>OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.</div> <div>IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES____ NO____ %____</div> <div>SPECIFY MANUFACTURING LOCATION:_____</div>			
34		SPECIFICATION #07047J	

SPECIFICATIONS		INVITATION TO BID													
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:													
TIME: 10:00 AM		PAGE 30													
<p>COMMODITY ITEM NO. 070-47-018598 HEAVY DUTY CAB AND CHASSIS, DIESEL, 210 H.P. 150" MINIMUM WHEELBASE, 35,000 LB. MINIMUM GVWR, DUMP BODY</p> <p>NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL SPECIFICATIONS."</p> <p>A. SCOPE: THIS SPECIFICATION COVERS A HEAVY DUTY CAB AND CHASSIS WITH A 150" MINIMUM WHEELBASE AND 35,000 LB. MINIMUM GVWR, DIESEL - DRIVEN.</p> <p>B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.</p> <p>C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.</p> <p>NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.</p> <p>***NOTE: THE FOLLOWING EQUIPMENT IS TO BE INCLUDED IN THE VENDOR'S BID, AND PROVIDED IF AWARDED ANY OR ALL OF THE FIVE (5) YARD DUMP TRUCKS.***</p> <p>TANDEM GEAR-TYPE HYDRAULIC PUMP: THE DIRECT PTO MOUNTED HYDRAULIC PUMP (NO OPEN DRIVE SHAFT) SHALL BE A TANDEM GEAR-TYPE. PUMP SECTION FOR DUMP BODY TO BE RATED AT 22 GPM, PUMP SECTION FOR TAILGATE SPREADER TO BE RATED AT 18 GPM, BOTH PUMP SECTIONS TO BE RATED AT 2,000 PSI AT 1800 RPM.</p> <p>TAILGATE SPREADER SECTION TO BE EQUIPPED WITH DUAL, FULL PRESSURE IN CAB CONTROLS, GRESEN MODEL #QDB75A07B16NA OR APPROVED EQUAL, TO INCLUDE DUAL REMOTE HYDRAULIC OUTLETS AND QUICK CONNECTS LOCATED AT THE END OF THE FRAME. CONTROL TO INCLUDE RELIEF VALVE SET AT 1,500 PSI.</p> <p>A 30 GALLON HYDRAULIC RESERVOIR TO BE FRAME MOUNTED ON PASSENGER'S SIDE WITH A DIRECT MOUNTED REPLACEABLE CARTRIDGE-TYPE RETURN LINE HYDRAULIC OIL FILTER.</p> <table><thead><tr><th>REQUIREMENT</th><th>BIDDER'S RESPONSE</th></tr></thead><tbody><tr><td>VEHICLE ID: YEAR & MAKE</td><td></td></tr><tr><td>MODEL NUMBER/SERIES</td><td></td></tr><tr><td>GVW: 35,000 LB. MINIMUM</td><td></td></tr><tr><td>WHEELBASE: 150 INCHES MINIMUM _____INCHES</td><td></td></tr><tr><td>CAB TO AXLE: 83 INCHES MINIMUM _____INCHES</td><td></td></tr></tbody></table>				REQUIREMENT	BIDDER'S RESPONSE	VEHICLE ID: YEAR & MAKE		MODEL NUMBER/SERIES		GVW: 35,000 LB. MINIMUM		WHEELBASE: 150 INCHES MINIMUM _____INCHES		CAB TO AXLE: 83 INCHES MINIMUM _____INCHES	
REQUIREMENT	BIDDER'S RESPONSE														
VEHICLE ID: YEAR & MAKE															
MODEL NUMBER/SERIES															
GVW: 35,000 LB. MINIMUM															
WHEELBASE: 150 INCHES MINIMUM _____INCHES															
CAB TO AXLE: 83 INCHES MINIMUM _____INCHES															

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 31
<div><div></div><div><p>ENGINE: DIESEL, 7.2L, 210 GROSS H.P. MIN., 520 FT-LBS. 3 YEAR 150,000 MILE WARRANTY</p><p>TRANSMISSION: AUTOMATIC 4 SPEED, ALLISON MD-3060P OR EQUAL</p><p>TIRES: DUAL REAR, FOUR (4) - MUST MEET OR EXCEED GVWR, TUBELESS RADIAL, ON/OFF ROAD TREAD FRONT, TWO (2) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL HIGHWAY TREAD</p><p>WHEELS: 10-HOLE DISC, STEEL, SIZE PER STANDARD VEHICLE</p><p>AXLES: FRONT - 12,000 LB. REAR - 23,000 LB SINGLE SPEED, AXLE RATIO SHALL ALLOW SPEED OF 60 MPH</p><p>SPRINGS: FRONT - TO MATCH AXLE REAR - TO MATCH AXLE</p><p>UNIVERSAL JOINTS: HEAVY DUTY</p><p>AIR CONDITIONER: FACTORY INSTALLED W/HEATER</p><p>SHOCK ABSORBERS: HEAVY DUTY FRONT</p><p>SEATS: BENCH</p><p>STEERING: POWER</p><p>BRAKES: DRUM OR DISC, HEAVY DUTY, FULL AIR BRAKES W/AUTO-SLACK ADJUSTERS, AND</p><p>AIR DRYER: BENDIX ADIP, OR EQUAL.</p><p>AIR COMPRESSOR: 13.2 CU. FEET PER MINUTE MINIMUM</p><p>FRAME: 852,000 RBM MINIMUM</p><p>RADIATOR: HEAVY DUTY EXTRA COOLING</p><p>AM/FM STEREO RADIO W/CLOCK</p><p>ALTERNATOR: 130 AMP. MINIMUM</p><p>BATTERY: 12 VOLT, 2 550 CCA, MAINTENANCE FREE, (1100 CCA MINIMUM)</p><p>MIRRORS: OUTSIDE DUAL SR. WESTCOAST</p><p>AIR CLEANER: STANDARD EQUIPMENT</p></div></div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 33

EDGES AND WELD SPLATTER.
PRIME PAINT UNDER STRUCTURE
WITH HIGH SOLIDS BLACK PRIMER
2-3 MILS DFT. PRIME PAINT BODY
WITH HIGH SOLID GRAY PRIMER
3-4 MILS DFT. FINISH COAT TO
MATCH TRUCK CAB, 4 MILS DFT.

TARPING SYSTEM: TRUCK TARPING SYSTEM (ELECTRIC), SYSTEM TO BE
OPERATED FROM CONTROL BOX LOCATED IN CAB;

TARP MATERIAL: ASPHALT LUMITE MATERIAL, MATERIAL MUST RESIST
PUNCTURES AND ABRASIONS, MUST NOT ABSORB
MOISTURE, ASPHALT NOT TO STICK TO FABRIC, MUST
BE "UV" RESISTANT.

TAILGATE: AIR OPERATED TAILGATE, ACTUATOR
LOCATED IN CAB, PEDESTAL CONTROLS.

EXTERIOR COLOR: WHITE - CAB & CHASSIS _____
WHITE - DUMP BODY _____

OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE
TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.

IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES_____ NO_____ %_____

SPECIFY MANUFACTURING LOCATION: _____

35

SPECIFICATION #07047K

COMMODITY ITEM NO. 070-47-028420
HEAVY DUTY CAB AND CHASSIS, DIESEL, 210 H.P.
150" MINIMUM WHEELBASE, 35,000-LBS. MINIMUM GVWR

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL
SPECIFICATIONS."

- A. SCOPE: THIS SPECIFICATION COVERS A HEAVY DUTY CAB AND CHASSIS
WITH A 150" MINIMUM WHEELBASE AND 35,000 LB. MINIMUM GVWR,
DIESEL - DRIVEN.
- B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS
SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED
AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL
MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.
- C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE
CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING
IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT
DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 34
	<i>REQUIREMENT</i>	<i>BIDDER'S RESPONSE</i>	
	VEHICLE ID: YEAR & MAKE		
	MODEL NUMBER/SERIES		
	GVWR: 35,000 LB. MINIMUM		
	WHEELBASE: 150 INCHES MINIMUM _____INCHES		
	CAB TO AXLE:83 INCHES MINIMUM _____INCHES		
	ENGINE: DIESEL, 210 H.P. GROSS MIN., 7.2L, W/3 YEAR 150,000 MILE WARRANTY, 520 FT-LBS. TORQUE MINIMUM _____SPECIFY SIZE _____SPECIFY G.H.P.		
	TRANSMISSION: AUTOMATIC 4 SPEED, ALLISON MT-643 OR EQUAL _____SPECIFY		
	TIRES: DUAL REAR, FOUR (4) - MUST MEET OR EXCEED GVWR, TUBELESS RADIAL, ON/OFF ROAD TREAD FRONT, TWO (2) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL HIGHWAY TREAD _____		
	WHEELS: 10-HOLE DISC, STEEL, SIZE PER STANDARD VEHICLE		
	AXLES: FRONT - 12,000 LB. REAR - 23,000 LB SINGLE SPEED, AXLE RATIO SHALL ALLOW SPEED OF 60 MPH _____		
	SPRINGS: FRONT - TO MATCH AXLE _____ REAR - TO MATCH AXLE _____		
	UNIVERSAL JOINTS: HEAVY DUTY _____		
	AIR CONDITIONER: FACTORY INSTALLED W/HEATER		
	SHOCK ABSORBERS: HEAVY DUTY FRONT _____		
	SEATS: BENCH _____		
	STEERING: POWER _____		
	BRAKES: DRUM OR DISC, HEAVY DUTY, FULL AIR BRAKES W/AUTO-SLACK ADJUSTERS, AND AUTO-MOISTURE EJECTORS. _____		
	AIR DRYER: BENDIX ADIP, OR EQUAL _____		
	AIR COMPRESSOR: 13.2 CU. FEET PER MINUTE MIN. _____		
	FRAME: 852,000 RBM MINIMUM _____		

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 35

AM/FM STEREO RADIO W/CLOCK _____
 RADIATOR: HEAVY DUTY EXTRA COOLING _____
 ALTERNATOR: 130 AMP MINIMUM _____
 BATTERY: 12 VOLT, 550 CCA, MINIMUM DUAL 1100 CCA MINIMUM
 MAINTENANCE FREE _____
 MIRRORS: OUTSIDE DUAL SR. WESTCOAST _____
 AIR CLEANER: STANDARD EQUIPMENT _____
 DIRECTIONAL SIGNALS: STANDARD EQUIPMENT _____
 FUEL TANK: 45 GALLON STEEL, STEP TYPE, SIDE MOUNTED _____
 INSTRUMENTATION: TACHOMETER, HOURMETER, VOLTMETER/AMPMETER & OIL
 PRESSURE GUAGES _____
 ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS _____
 BACK-UP ALARM 97DB MINIMUM _____
 SIDE MARKER LIGHTS: STANDARD EQUIPMENT _____
 DAYTIME RUNNING LIGHTS _____
 SIDE REFLECTORS _____
 5 LB. FIRE EXTINGUISHER _____
 REFLECTIVE TRIANGLES, 3/KIT _____
 HOOD: TILT HOOD AND FENDERS _____
 EXTERIOR COLOR: WHITE - CAB & CHASSIS _____
 OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE
 TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.
 IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES_____ NO_____ %_____
 SPECIFY MANUFACTURING LOCATION:_____

36

SPECIFICATION #07047L

COMMODITY ITEM NO. 070-47-018599
 HEAVY DUTY CAB AND CHASSIS, DIESEL, 210 H.P.
 150" MINIMUM WHEELBASE, 30,000 LB. MINIMUM GVWR,
 (LIMITED BY TRANSMISSION ONLY) DUMP BODY

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
 IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 36

SPECIFICATIONS."

- A. *SCOPE: THIS SPECIFICATION COVERS A HEAVY DUTY CAB AND CHASSIS WITH A 150" MINIMUM WHEELBASE AND 30,000 LB. MINIMUM GVWR, (LIMITED BY TRANSMISSION ONLY) DIESEL DRIVEN*
- B. *VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.*
- C. *DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.*

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.

****NOTE: THE FOLLOWING EQUIPMENT IS TO BE INCLUDED IN THE VENDOR'S BID, AND PROVIDED IF AWARDED ANY OR ALL OF THE FIVE (5) YARD DUMP TRUCKS.****

*TANDEM GEAR-TYPE HYDRAULIC PUMP:
THE DIRECT PTO MOUNTED HYDRAULIC PUMP (NO OPEN DRIVE SHAFT) SHALL BE A TANDEM GEAR-TYPE. PUMP SECTION FOR DUMP BODY TO BE RATED AT 22 GPM, PUMP SECTION FOR TAILGATE SPREADER TO BE RATED AT 18 GPM, BOTH PUMP SECTIONS TO BE RATED AT 2,000 PSI AT 1800 RPM.*

TAILGATE SPREADER SECTION TO BE EQUIPPED WITH DUAL, FULL PRESSURE IN CAB CONTROLS, GRESSEN MODEL #QDB75A07B16NA OR APPROVED EQUAL, TO INCLUDE DUAL REMOTE HYDRAULIC OUTLETS AND QUICK CONNECTS LOCATED AT THE END OF THE FRAME. CONTROL TO INCLUDE RELIEF VALVE SET AT 1,500 PSI.

A 30 GALLON HYDRAULIC RESERVOIR TO BE FRAME MOUNTED ON PASSENGER'S SIDE WITH A DIRECT MOUNTED REPLACEABLE CARTRIDGE-TYPE RETURN LINE HYDRAULIC OIL FILTER.

<i>REQUIREMENT</i>	<i>BIDDER'S RESPONSE</i>
<i>VEHICLE ID: YEAR & MAKE</i>	_____
<i>MODEL NUMBER/SERIES</i>	_____
<i>GVWR: 30,000 LB. MINIMUM (LIMITED BY TRANSMISSION)</i>	_____
<i>WHEELBASE: 150 INCHES MINIMUM _____INCHES</i>	
<i>CAB TO AXLE: 83 INCHES MINIMUM _____INCHES</i>	
<i>ENGINE: DIESEL, ELECTRONIC 210 H.P. GROSS MIN. 7.2L, 3 YEAR 150,000 MILE WARRANTY, 520 FT-LBS TORQUE MIN. _____SPECIFY SIZE</i>	
	_____SPECIFY G.H.P
<i>TRANSMISSION: AUTOMATIC 5 SPEED, ALLISON 2000 _____SPECIFY</i>	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 37
<div><div></div><div><p><i>TIRES: DUAL REAR, FOUR (4) - MUST MEET OR EXCEED GVWR, TUBELESS RADIAL, ON/OFF ROAD TREAD, 12 PLY, 11RX22.5 FRONT, TWO (2) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL HIGHWAY TREAD, 11R X 22.5</i></p><p><i>WHEELS: 10-HOLE DISC, STEEL, SIZE PER STANDARD VEHICLE</i></p><p><i>AXLES: FRONT - 12,000 LB.</i></p><p><i>REAR - 23,000 LB SINGLE</i></p><p><i>SPEED, AXLE RATIO SHALL ALLOW SPEED OF 60 MPH</i></p><p><i>SPRINGS: FRONT - TO MATCH AXLE</i></p><p><i>REAR - TO MATCH AXLE</i></p><p><i>UNIVERSAL JOINTS: HEAVY DUTY</i></p><p><i>AIR CONDITIONER: FACTORY INSTALLED W/HEATER</i></p><p><i>SHOCK ABSORBERS: HEAVY DUTY FRONT</i></p><p><i>SEATS: BENCH</i></p><p><i>STEERING: POWER</i></p><p><i>BRAKES: DRUM OR DISC, HEAVY DUTY, FULL AIR BRAKES W/AUTO-SLACK ADJUSTERS, AND AUTO-MOISTURE EJECTORS.</i></p><p><i>AIR DRYER: BENDIX ADIP, OR EQUAL.</i></p><p><i>AIR COMPRESSOR: 13.2 CU. FEET PER MINUTE MIN.</i></p><p><i>FRAME: 852,000 RBM MINIMUM</i></p><p><i>RADIATOR: HEAVY DUTY EXTRA COOLING</i></p><p><i>CAB: STANDARD WITH BENCH SEATS</i></p><p><i>RADIO: AM/FM STEREO WITH CLOCK</i></p><p><i>BACK-UP ALARM 97 DB MINIMUM</i></p><p><i>ALTERNATOR: 130 AMP. MINIMUM</i></p><p><i>BATTERY: 12 VOLT, 550 CCA, MINIMUM, DUAL, 1100 CCA MINIMUM</i></p></div></div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 38
<div><div></div><div><div>MAINTENANCE FREE</div><div>MIRRORS: OUTSIDE DUAL SR. WESTCOAST</div><div>AIR CLEANER: STANDARD EQUIPMENT</div><div>DIRECTIONAL SIGNALS: STANDARD EQUIPMENT</div><div>FUEL TANK:45 GALLON STEEL,STEP TYPE, SIDE MOUNTED</div><div>INSTRUMENTATION: TACHOMETER, HOURMETER, VOLTMETER/AMPMETER & OIL PRESSURE GAUGES</div><div>ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS</div><div>SIDE MARKER LIGHTS: STANDARD EQUIPMENT</div><div>DAYTIME RUNNING LIGHTS</div><div>SIDE REFLECTORS</div><div>5 LB. FIRE EXTINGUISHER</div><div>REFLECTIVE TRIANGLES, 3/KIT</div><div>HOOD: TILT HOOD AND FENDERS</div><div>TOW HOOKS: TWO (2) FRAME MOUNTED, OR SINGLE MOUNTED TOW PIN.</div><div>POWER TAKE-OFF: (PTO) PROVIDE & INSTALL, SINGLE, SINGLE SPEED, 2 GEAR HOT SHIFT SIX (6) BOLT HEAVY DUTY</div><div>POWER TAKE OFF: AIR SHIFT CONTROL</div><div>DUMP BODY: 5 YARD, , 10'L X 7'W, 24" SIDES, 30" HEAD & TAILGATE, BODY OF 10 GAUGE HI-TENSILE STEEL, FLOOR OF 7 GAUGE HI-TENSILE STEEL, HEAVY DUY 10 GAUGE 1/2 CAB PROTECTOR. 8" DUMP APRON, TWO (2) SHOVEL HOLDERS, ONE (1) ON EACH SIDE. ALL WELDS, EXCEPT CROSSMEMBER TO BODY FLOOR SHALL BE CONTINUOUS. CROSSMEMBERS SHALL BE CONTINUOUS WELDED AT EACH END TO INSIDE OF RUBRAIL OF BODY SIDES. SINGLE CYLINDER HYDRAULIC HOIST, 25.0 TON CAPACITY. GEAR TYPE HYDRAULIC PUMP, THREE POSITION VALVE, AND ALL MOUNTING & OPERATION ACCESSORIES. 8" DUMP APRON</div></div></div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 39

TWO (2) SHOVEL HOLDERS, ONE (1)
ON EACH SIDE OF THE DUMP BODY

PAINT/BODY PREP: BUFF, CHIP AND GRIND SHARP
EDGES AND WELD SPLATTER. PRIME
PAINT UNDER STRUCTURE WITH HIGH
SOLIDS BLACK PRIMER, 2-3 MILS
DFT. PRIME PAINT BODY WITH HIGH
SOLIDS GRAY PRIMER, 3-4 MILS DFT.
FINISH COAT TO MATCH TRUCK CAB,
4 MILS, DFT.

TARPING SYSTEM: TARPING SYSTEM (ELECTRIC), SYSTEM TO BE
OPERATED FROM CONTROL BOX LOCATED IN CAB.

TARP MATERIAL: ASPHALT LUMITE MATERIAL, MATERIAL MUST RESIST
PUNCTURES AND ABRASIONS, MUST NOT OBSORB
MOISTURE, ASPHALT MUST NOT STICK TO FABRIC, MUST
BE "UV" RESISTANT.

TAILGATE: AIR OPERATED TAIGATE, ACTUATOR
LOCATED IN CAB, PEDESTAL CONTROLS.

EXTERIOR COLOR: WHITE - CAB & CHASSIS

WHITE - DUMP BODY

OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE
TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.

IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES_____ NO_____ %_____

SPECIFY MANUFACTURING LOCATION:_____

37

SPECIFICATION #07047N

COMMODITY ITEM NO. 070-47-029965

HEAVY DUTY CREW CAB AND CHASSIS, DIESEL, 210 H.P.
188" MINIMUM WHEELBASE, 30,000 LB. MINIMUM GVWR,
(LIMITED BY TRANSMISSION ONLY), DUMP BODY

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
IN CONJUNCTION WITH SPECIFICATION, ENTITLED "TRUCKS, GENERAL
SPECIFICATIONS."

- A. SCOPE: THIS SPECIFICATION COVERS A HEAVY DUTY CREW CAB AND
CHASSIS WITH A 188" MINIMUM WHEELBASE AND 30,000 LB. MINIMUM
GVWR (LIMITED BY TRANSMISSION ONLY), DIESEL - DRIVEN.
- B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS
SPECIFICATION SHALL BE EQUIPPED WITH ALL EQUIPMENT ADVERTISED
AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED, AND SHALL
MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.
- C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE

SPECIFICATIONS		INVITATION TO BID																					
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 40																				
<p>CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.</p> <p>NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING IN THE BLANKS UNDER BIDDER'S RESPONSE. IF THIS IS NOT DONE OR INCOMPLETE YOUR BID MAY BE REJECTED.</p> <p>***NOTE: THE FOLLOWING EQUIPMENT IS TO BE INCLUDED IN THE VENDOR'S BID, AND PROVIDED IF AWARDED ANY OR ALL OF THE FIVE (5) YARD DUMP TRUCKS.***</p> <p>TANDEM GEAR-TYPE HYDRAULIC PUMP: THE DIRECT PTO MOUNTED HYDRAULIC PUMP (NO OPEN DRIVE SHAFT) SHALL BE A TANDEM GEAR-TYPE. PUMP SECTION FOR DUMP BODY TO BE RATED AT 22 GPM, PUMP SECTION FOR TAILGATE SPREADER TO BE RATED AT 18 GPM, BOTH PUMP SECTIONS TO BE RATED AT 2,000 PSI AT 1800 RPM.</p> <p>TAILGATE SPREADER SECTION TO BE EQUIPPED WITH DUAL, FULL PRESSURE IN CAB CONTROLS, GRESSEN MODEL #QDB75A07B16NA OR APPROVED EQUAL, TO INCLUDE DUAL REMOTE HYDRAULIC OUTLETS AND QUICK CONNECTS LOCATED AT THE END OF THE FRAME. CONTROL TO INCLUDE RELIEF VALVE SET AT 1,500 PSI.</p> <p>A 30 GALLON HYDRAULIC RESERVOIR TO BE FRAME MOUNTED ON PASSENGER'S SIDE WITH A DIRECT MOUNTED REPLACEABLE CARTRIDGE-TYPE RETURN LINE HYDRAULIC OIL FILTER.</p> <table><thead><tr><th>REQUIREMENT</th><th>BIDDER'S RESPONSE</th></tr></thead><tbody><tr><td>VEHICLE ID: YEAR & MAKE</td><td>_____</td></tr><tr><td>MODEL NUMBER/SERIES</td><td>_____</td></tr><tr><td>GVWR: 30,000 LB. MINIMUM LIMITED BY TRANSMISSION</td><td>_____</td></tr><tr><td>WHEELBASE: 188 INCHES MINIMUM _____INCHES</td><td></td></tr><tr><td>CAB TO AXLE: 82 INCHES MINIMUM _____INCHES</td><td></td></tr><tr><td>ENGINE: DIESEL, ELECTRONIC 210 H.P. GROSS MIN., 7.2L, 3 YEAR 150,000 MILE WARRANTY 485 FT-LBS TORQUE MIN _____SPECIFY SIZE _____SPECIFY G.H.P.</td><td></td></tr><tr><td>TRANSMISSION: AUTOMATIC 5 SPEED, ALLISON 2000 _____SPECIFY</td><td></td></tr><tr><td>CREW CAB SEATING: CREW CAB WILL HAVE SEATING FOR SIX (6) MAN CREW, WITH INDIVIDUAL BELT RESTRAINERS.</td><td></td></tr><tr><td>TIRES: DUAL REAR, FOUR (4) - MUST MEET OR EXCEED GVWR, TUBELESS RADIAL, ON/OFF ROAD TREAD, 12 PLY, 11RX22.5 FRONT, TWO (2) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL HIGHWAY TREAD 11R X 22.5</td><td>_____</td></tr></tbody></table>				REQUIREMENT	BIDDER'S RESPONSE	VEHICLE ID: YEAR & MAKE	_____	MODEL NUMBER/SERIES	_____	GVWR: 30,000 LB. MINIMUM LIMITED BY TRANSMISSION	_____	WHEELBASE: 188 INCHES MINIMUM _____INCHES		CAB TO AXLE: 82 INCHES MINIMUM _____INCHES		ENGINE: DIESEL, ELECTRONIC 210 H.P. GROSS MIN., 7.2L, 3 YEAR 150,000 MILE WARRANTY 485 FT-LBS TORQUE MIN _____SPECIFY SIZE _____SPECIFY G.H.P.		TRANSMISSION: AUTOMATIC 5 SPEED, ALLISON 2000 _____SPECIFY		CREW CAB SEATING: CREW CAB WILL HAVE SEATING FOR SIX (6) MAN CREW, WITH INDIVIDUAL BELT RESTRAINERS.		TIRES: DUAL REAR, FOUR (4) - MUST MEET OR EXCEED GVWR, TUBELESS RADIAL, ON/OFF ROAD TREAD, 12 PLY, 11RX22.5 FRONT, TWO (2) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL HIGHWAY TREAD 11R X 22.5	_____
REQUIREMENT	BIDDER'S RESPONSE																						
VEHICLE ID: YEAR & MAKE	_____																						
MODEL NUMBER/SERIES	_____																						
GVWR: 30,000 LB. MINIMUM LIMITED BY TRANSMISSION	_____																						
WHEELBASE: 188 INCHES MINIMUM _____INCHES																							
CAB TO AXLE: 82 INCHES MINIMUM _____INCHES																							
ENGINE: DIESEL, ELECTRONIC 210 H.P. GROSS MIN., 7.2L, 3 YEAR 150,000 MILE WARRANTY 485 FT-LBS TORQUE MIN _____SPECIFY SIZE _____SPECIFY G.H.P.																							
TRANSMISSION: AUTOMATIC 5 SPEED, ALLISON 2000 _____SPECIFY																							
CREW CAB SEATING: CREW CAB WILL HAVE SEATING FOR SIX (6) MAN CREW, WITH INDIVIDUAL BELT RESTRAINERS.																							
TIRES: DUAL REAR, FOUR (4) - MUST MEET OR EXCEED GVWR, TUBELESS RADIAL, ON/OFF ROAD TREAD, 12 PLY, 11RX22.5 FRONT, TWO (2) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL HIGHWAY TREAD 11R X 22.5	_____																						

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 42
<div><div></div><div><p>INSTRUMENTATION: TACHOMETER, HOURMETER, VOLTMETER/AMPMETER & OIL PRESSURE GUAGES</p><p>ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS</p><p>SIDE MARKER LIGHTS: STANDARD EQUIPMENT</p><p>DAYTIME RUNNING LIGHTS</p><p>SIDE REFLECTORS</p><p>BACK-UP ALARM 97DB MINIMUM</p><p>5 LB FIRE EXTINGUISHER</p><p>REFLECTIVE TRIANGLES, 3/KIT</p><p>HOOD: TILT HOOD AND FENDERS</p><p>POWER TAKE-OFF: (PTO) PROVIDE & INSTALL, SINGLE SPEED, 2 GEAR, HOT SHIFT SIX (6) BOLT HEAVY DUTY</p><p>POWER TAKE OFF: AIR SHIFT CONTROL</p><p>DUMP BODY: 5 YARD, _____, 10' L X 7' W, 24" SIDES, 30" HEAD & TAILGATE, BODY OF 10 GAUGE HI-TENSILE STEEL. FLOOR OF 7 GAUGE HI-TENSILE STEEL, HEAVY DUTY 10 GAUGE 1/2 CAB PROTECTOR. 8" DUMP APRON, TWO (2) SHOVEL HOLDERS, ON (1) ON EACH SIDE OF THE DUMP BODY. ALL, WELDS EXCEPT CROSSMEMBERS TO BODY FLOOR SHALL BE CONTINUOUS. CROSSMEMBERS SHALL BE CONTINUOUS WELDED AT EACH END TO INSIDE OF RUBRAIL OF BODY SIDES. SINGLE CYLINDER HYDRAULIC HOIST, 25.0 TON CAPACITY. GEAR TYPE HYDRAULIC PUMP, THREE POSITION VALVE, AND ALL MOUNTING & OPERATION ACCESSORIES. 8" DUMP APRON TWO (2) SHOVEL HOLDERS, ONE (1) ON EACH SIDE OF THE DUMP BODY</p><p>PAINT/BODY PREP: BUFF, CHIP AND GRIND SHARP EDGES AND WELD SPLATTER. PRIME PAINT UNDER STRUCTURE WITH HIGH SOLIDS BLACK PRIMER 2-3 MILS, DFT. PRIME PAINT BODY WITH HIGH SOLIDS GRAY PRIMER</p></div></div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207	TIME: 10:00 AM	BIDDER:	PAGE 43

3-4 MILS, DFT. FINISH COAT TO
MATCH TRUCK CAB, 4 MILS, DFT.

TARPING SYSTEM: TRUCK TARPING SYSTEM (ELECTRIC), SYSTEM TO BE
OPERATED FROM CONTROL BOX LOCATED IN CAB.

TARP MATERIAL: ASPHALT LUMITE MATERIAL, MATERIAL MUST RESIST
PUNCTURES AND ABRASIONS, MUST NOT OBSORB
MOISTURE, ASPHALT NOT TO STICK TO FABRIC, MUST
BE "UV" RESISTANT.

TAILGATE: AIR OPERATED TAILGATE, ACTUATOR LOCATED IN CAB, PEDESTAL
CONTROLS.

EXTERIOR COLOR: WHITE - CAB & CHASSIS _____

WHITE - DUMP BODY _____

OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE
TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.

IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES_____ NO_____ %_____

SPECIFY MANUFACTURING LOCATION:_____

38

SPECIFICATION #07051D

COMMODITY ITEM NO. 070-51-044389
VERY HEAVY DUTY CAB AND CHASSIS, DIESEL, 250 H.P., MANUAL
TRANSMISSION, 165" MINIMUM WHEELBASE, 52,000-LBS, MINIMUM GVWR,
DUMP BODY

NOTE: THIS DETAIL SPECIFICATION IS NOT COMPLETE UNLESS IT IS USED
IN CONJUNCTION WITH SPECIFICATION ENTITLED "TRUCKS, GENERAL
SPECIFICATIONS."

- A. SCOPE: THIS SPECIFICATION COVERS A VERY HEAVY DUTY CAB AND
CHASSIS WITH A 165" MINIMUM WHEELBASE AND 52,000 LB MINIMUM GVWR,
DIESEL - DRIVEN.
- B. VENDOR INFORMATION: THE TRUCK SERIES OFFERED UNDER THIS
SPECIFICATION SHALL BE EQUIPPED WITH ALL FACTORY EQUIPMENT
ADVERTISED AS "STANDARD EQUIPMENT" UNLESS OTHERWISE SPECIFIED,
AND SHALL MEET OR EXCEED THE FOLLOWING DETAILED REQUIREMENTS.
- C. DETAILED REQUIREMENTS: ALL VALUES SPECIFIED BELOW SHALL BE
CONSIDERED AS MINIMUM, UNLESS OTHERWISE SPECIFIED.

NOTE: BIDDERS SHOULD INDICATE EXACTLY WHAT THEY ARE OFFERING
IN THE BLANKS UNDER BIDDER'S RESPONSE, INCLUDING
FACTORY OPTION CODES. IF THIS IS NOT DONE OR
INCOMPLETE YOUR BID MAY BE REJECTED.

REQUIREMENT

BIDDER'S RESPONSE

VEHICLE ID: YEAR & MAKE

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 44
<div><div></div><div><div>MODEL NUMBER/SERIES</div><div>GVW: 52,000 LB MINIMUM</div><div>WHEELBASE: 165 INCHES MINIMUM _____INCHES</div><div>CAB TO AXLE:101 INCHES MINIMUM OF CLEAR SPACE _____INCHES</div><div>ENGINE: DIESEL, 250 H.P. GROSS, MIN., 7.2L MIN., 3 YEAR 150,000 MILE WARRANTY, 800 LB-FT TORQUE @ 1440 RPM _____SPECIFY SIZE _____SPECIFY G.H.P</div><div>TRANSMISSION: 10 SPEED MANUAL, FULLER MODEL RT8908LL, OR EQUAL</div><div>TIRES: DUAL REAR, EIGHT (8) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL, ON/OFF ROAD TREAD, 11RX22.5, 14 PLY. FRONT, TWO (2) MUST MEET OR EXCEED GVWR, TUBELESS RADIAL HIGHWAY TREAD, 11RX22.5 14 PLY</div><div>WHEELS: 10-HOLE DISC, STEEL, 8.25 X 8.25 X 22.5</div><div>AXLES: FRONT - 12,000 LB. REAR - 40,000 LB. SINGLE SPEED, AXLE RATIO TO BE SPECIFIED BY USER</div><div>SPRINGS: FRONT- TO MATCH AXLE REAR - TO MATCH AXLE</div><div>UNIVERSAL JOINTS: HEAVY DUTY</div><div>AIR CONDITIONER: FACTORY INSTALLED W/HEATER</div><div>SHOCK ABSORBERS: HEAVY DUTY FRONT</div><div>STEERING: POWER</div><div>BRAKES: ABS, DRUM OR DISC, HEAVY DUTY, FULL AIR BRAKES W/AUTO-SLACK ADJUSTERS, AND MANUAL-MOISTURE EJECTORS</div><div>AIR DRYER: BENDIX ADIP OR EQUAL</div><div>AIR COMPRESSOR: 13.2 CU. FEET PER MINUTE MIN.</div><div>FRAME: 1,628,000 RBM MINIMUM</div></div></div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:	PAGE 45
<div> <div></div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> </div> <div> <p>RADIATOR: HEAVY DUTY EXTRA COOLING _____</p> <p>CAB: STANDARD _____</p> <p>SEATS: DRIVERS SEAT TO BE IR SUSPENSION. HIGHBACK PASSENGER SEAT TO BE NON-SUSPENSION _____</p> <p>RADIO: AM/FM STEREO W/CLOCK _____</p> <p>BACK-UP ALARM: 97 DB MINIMUM _____</p> <p>ALTERNATOR: 130 AMP MINIMUM _____</p> <p>BATTERY: 12 VOLT, MINIMUM 1500 CCA, MAINTENANCE FREE _____</p> <p>MIRRORS: OUTSIDE DUAL SR. WESTCOAST _____</p> <p>AIR CLEANER: STANDARD EQUIPMENT _____</p> <p>DIRECTIONAL SIGNALS: STANDARD EQUIPMENT _____</p> <p>FUEL TANKS: TWO 45 GALLON, OR EQUAL, STEEL, STEP TYPE, SIDE MOUNTED _____</p> <p>INSTRUMENTATION: TACHOMETER, HOURMETER, VOLTMETER/AMPMETER & OIL PRESSURE GUAGES _____</p> <p>ACCESSORIES: CIGARETTE LIGHTER AND ASH TRAY, DUAL SUN VISORS _____</p> <p>SIDE MARKER LIGHTS: STANDARD EQUIPMENT _____</p> <p>DAYTIME RUNNING LIGHTS _____</p> <p>SIDE REFLECTORS _____</p> <p>5 LB. FIRE EXTINGUISHER _____</p> <p>REFLECTIVE TRIANGLES, 3 KIT _____</p> <p>TOW HOOKS: TWO (2) FRAME MOUNTED, OR SINGLE MOUNTED TOW PIN _____</p> <p>HOOD: TILT HOOD AND FENDERS _____</p> <p>POWER TAKE-OFF: (PTO) PROVIDE & INSTALL, SINGLE SPEED, 2 GEAR, SIX (6) BOLT HEAVY DUTY _____</p> <p>POWER TAKE-OFF: AIR SHIFT CONTROL _____</p> <p>DUMP BODY: 10-12 YARD, 13'L X 7' INSIDE W, 36" SIDES, 44" HEAD & TAILGATE, BODY OF 10 GAUGE HI-TENSILE STEEL. FLOOR OF 7 GAUGE HI-TENSILE STEEL, HEAVY DUTY 10 GAUGE 1/2 GAUGE CAB PROTECTOR.</p> </div>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2183027 OPEN DATE: 11/06/03 T-NUMBER : 92207		BIDDER:	PAGE 46
<div><div></div><div><p>8" DUMP APRON, TWO (2) SHOVEL HOLDERS, ONE (1) ON EACH SIDE OF THE DUMP BODY.</p><p>ALL WELDS, EXCEPT CROSSMEMBERS TO BODY FLOOR SHALL BE CONTINUOUS. CROSSMEMBERS SHALL BE CONTINUOUS WELDED AT EACH END TO INSIDE OF RUBRAIL OF BODY SIDES. SINGLE CYLINDER HYDAULIC HOIST, 35 TON CAPACITY. DIRECT MOUNT GEAR TYPE HYDRAULIC PUMP, THREE POSITION VALVE, AND ALL MOUNTING & OPERATION ACCESSORIES.</p><p>PAINT/BODY PREP: BUFF, CHIP AND GRIND SHARP EDGES AND WELD SPLATTER. PRIME PAINT UNDER STRUCTURE WITH HIGH SOLIDS BLACK PRIMER 2-3 MILS, DFT. PRIME PAINT BODY WITH HIGH SOLID GRAY PRIMER 3-4 MILS, DFT. FINISH COAT TO MATCH TRUCK CAB, 4 MILS, DFT.</p><p>TARPING SYSTEM: TRUCK TARPING SYSTEM (ELECTRIC), SYSTEM TO BE OPERATED FROM CONTROL BOX LOCATED IN CAB.</p><p>TARP MATERIAL: ASPHALT LUMITE MATERIAL, MATERIAL MUST RESIST PUNCTURES AND ABRASIONS, MUST NOT OBSORB MOISTURE, ASPHALT NOT TO STICK TO FABRIC, MUST BE "UV" RESISTANT.</p><p>TAILGATE: AIR OPERATED TAIGATE, ACTUATOR LOCATED IN CAB, PEDESTAL CONTROLS.</p><p>EXTERIOR COLOR: WHITE - CAB & CHASSIS _____ WHITE - DUMP BODY _____</p><p>OPTIONAL EQUIPMENT: ALL OPTIONAL FACTORY EQUIPMENT SHALL BE AVAILABLE TO THE STATE OF LOUISIANA AT "DEALER INVOICE" PRICE.</p><p>IS THIS VEHICLE PRODUCED IN THE UNITED STATES? YES _____ NO _____ % _____</p><p>SPECIFY MANUFACTURING LOCATION: _____</p></div></div>			

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 47
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00001	<p>UNLESS SPECIFIED ELSEWHERE SHIP TO: STATEWIDE DELIVERY</p> <p>COMMODITY CODE: 070-51-044379</p> <p>***** THERE WILL BE A NON-MANDORTORY PRE-BID CONFERENCE TO BE HELD IN THE BID ROOM OF THE CLAIBORNE BUILDING, NORTH THIRD STREET, SUITE 2-143 ON OCTOBER 21, 2003 AT 2:00P.M. *****</p> <p>STATEWIDE CONTRACT FOR MEDIUM & HEAVY TRUCKS FROM DATE OF AWARD THROUGH JUNE 30, 2004</p> <p>TRUCK, MEDIUM DUTY CAB AND CHASSIS, (LATEST AVAILABLE MODEL) GASOLINE, 25,000-LBS. GVWR, 188" WHEELBASE, 120" CAB TO AXLE.</p> <p>REF: SPECIFICATION NO. 07047B FOB: BATON ROUGE, OR DEALER</p> <p>MAKE & MODEL: GMC MODEL C7500 OR EQUAL</p> <p>DELIVERY TIME: _____ DAYS ARO</p> <p>COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE STTACHED SPECIFICATIONS.</p> <p>COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY)</p> <p>INTERIOR COLOR: (AGENCY TO SPECIFY)</p> <p>THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF:</p> <p>(AGENCY TO SPECIFY)</p> <p>VENDOR TO MAIL A DUPLICATE COPY OF THE INVOCE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS AS STATED ON THE PURCHASE</p>	1	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 48
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	ORDER. _____ SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00002	COMMODITY CODE: 070-51-044381 TRUCK, MEDIUM DUTY CAB & CHASSIS, DIESEL (LATEST AVAILABLE MODEL) WHEELBASE 150", 83" CAB TO AXLE, 27,000 LBSD. GVWR REF: SPECIFICATION NO. 07047F FOB: BATON ROUGE OR DEALER MAKE & MODEL: GMC C7500 OR EQUAL. DELIVERY TIME: _____ DAYS ARO COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE ATTACHED SPECIFICATIONS. COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY) INTERIOR COLOR: (AGENCY TO SPECIFY) THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF: (AGENCY TO SPECIFY) VENDOR TO MAIL A DUPLICATE COPY OF THE INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS STATED ON THE ORDER. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	4	EACH	_____	_____
00003	COMMODITY CODE: 070-51-044382	1	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 49
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	TRUCK, MEDIUM DUTY CAB & CHASSIS, DIESEL (LATEST MODEL AVAILABLE) 152" WHEELBASE, 83" CAB TO AXLE, 27,000-LBS GVWR STAKE BODY COMPLETE WITH METAL STAKES REF: SPECIFICATION NO. 07047G FOB: BATON ROUGE OR DEALER MAKE & MODEL: GMC C7500 OR EQUAL DELIVERY TIME: _____ DAYS ARO COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE ATTACHED SPECIFICATIONS. COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY) INTERIOR COLOR: (AGENCY TO SPECIFY) THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF: (AGENCY TO SPECIFY) VENDOR TO MAIL A DUPLICATE COPY OF THE INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS STATED ON THE ORDER. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00004	COMMODITY CODE: 070-51-044383 TRUCK, MEDIUM DUTY CAB & CHASSIS, DIESEL (LATEST MODEL AVAILABLE) 186" MINIMUM WHEELBASE, 120" MINIMUM CAB TO AXLE, 25,500-LBS. GVWR WITH 16-FT. METAL VAN BODY, WITH 2,000- LBS. FLIPAWAY TYPE LIFTGATE. REF: SPECIFICATION NO. 07047H FOB: BATON ROUGE OR DEALER	4	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 50
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	MAKE & MODEL: INTERNATIONAL 4200 4 X 2 OR EQUAL DELIVERY TIME: _____ DAYS ARO COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH ATTACHED SPECIFICATIONS. COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY) INTERIOR COLOR: (AGENCY TO SPECIFY) THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF: (AGENCY TO SPECIFY) VENDOR TO MAIL A DUPLICATE COPY OF THE INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS STATED ON THE ORDER. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00005	COMMODITY CODE: 070-51-044385 TRUCK, HEAVY DUTY CAB & CHASSIS, (LATEST MODEL AVAILABLE) MODEL, DIESEL, 210 H.P., 150" WHEELBASE, 83" CAB TO AXLE, 35,000 GVWR, WITH 5 YARD DUMP BODY THAT IS TO BE SELECTED BY AGENCY. REF: SPECIFICATION CODE NO. 07047J FOB: BATON ROUGE OR DEALER MAKE & MODEL: GMC C7500 OR EQUAL DELIVERY TIME: _____ DAYS ARO WARREN INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047J	4	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 51
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	PRICE: _____ OX BODIES INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047J PRICE: _____ SUPERIOR 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047J PRICE: _____ COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE ATTACHED SPECIFICATIONS. COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY) INTERIOR COLOR: (AGENCY TO SPECIFY) THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF: (AGENCY TO SPECIFY) VENDOR TO MAIL A DUPLICATE COPY OF THE INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS STATED ON THE ORDER. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00006	COMMODITY CODE: 070-51-044386 TRUCK, HEAVY DUTY CAB AND CHASSIS, (LATEST MODEL AVAILABLE) 35,000 LB. GVWR MODEL, DIESEL, 210 H.P., 150" WHEELBASE, 83" CAB TO AXLE, REF: SPECIFICATION NO. 07047K FOB: BATON ROUGE OR DEALER	4	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 52
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	MAKE & MODEL: GMC C7500 OR EQUAL DELIVERY TIME: _____ DAYS ARO WARREN INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047K PRICE: _____ OX BODIES INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047K PRICE: _____ SUPERIOR 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047K PRICE: _____ COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE ATTACHED SPECIFICATIONS. COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY) INTERIOR COLOR: (AGENCY TO SPECIFY) THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF: (AGENCY TO SPECIFY) VENDOR TO MAIL A DUPLICATE COPY OF THE INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS STATED ON THE ORDER. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00007	COMMODITY CODE: 070-51-044387 TRUCK, HEAVY DUTY CAB & CHASSIS, (LATEST MODEL AVAILABLE) MODEL, DIESEL, 210 H.P., 150"	10	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 53
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	<p>WHEELBASE, 83" CAB TO AXLE, 30,000-LBS GVWR (LIMITED BY TRANSMISSION ONLY), WITH 5 YARD DUMP BODY THAT IS SELECTED BY AGENCY.</p> <p>REF: SPECIFICATION NO. 07047L FOB: BATON ROUGE OR DEALER</p> <p>MAKE & MODEL: 2003 FREIGHTLINER FL-70 OR EQUAL</p> <p>DELIVERY TIME: _____ DAYS ARO</p> <p>WARREN INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047L</p> <p>PRICE: _____</p> <p>OX BODIES INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047L</p> <p>PRICE: _____</p> <p>SUPERIOR 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047L</p> <p>PRICE: _____</p> <p>COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE ATTACHED SPECIFICATIONS.</p> <p>COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY) INTERIOR COLOR: (AGENCY TO SPECIFY)</p> <p>THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF: (AGENCY TO SPECIFY)</p> <p>VENDOR TO MAIL A DUPLICATE COPY OF THE INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS STATED ON THE ORDER.</p> <p>SPECIFY BRAND (& NUMBER IF APPLICABLE)</p>				

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 54
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00008	<p>COMMODITY CODE: 070-51-117308</p> <p>TRUCK, HEAVY DUTY CREW CAB & CHASSIS, (LATEST AVAILABLE MODEL) DIESEL, 188" WHEELBASE, 82" CAB TO AXLE 210 H.P., 30,000-LBS. GVWR (LIMITED BY TRANSMISSION ONLY) WITH 5 YARD DUMP BODY THAT IS TO BE SELECTED BY AGENCY.</p> <p>REF: SPECIFICATION NUMBER 07047N FOB: BATON ROUGE OR DEALER</p> <p>MAKE & MODEL: FREIGHTLINER OR EQUAL</p> <p>DELIVERY TIME: _____ DAYS ARO</p> <p>WARREN INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047N</p> <p>PRICE: _____</p> <p>OX BODIES INC. BRAND 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047N</p> <p>PRICE: _____</p> <p>SUPERIOR 5 YARD DUMP BODY PER SPECIFICATIONS CODE 07047N</p> <p>PRICE: _____</p> <p>COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE ATTACHED SPECIFICATIONS.</p> <p>COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY)</p> <p>INTERIOR COLOR: (AGENCY TO SPECIFY)</p> <p>THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE(S) AND MUST BE ISSUED IN THE NAME OF:</p> <p>(AGENCY TO SPECIFY)</p> <p>VENDOR TO MAIL DUPLICATE COPY OF THE</p>	1	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 55
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS AS STATED ON THE ORDER. _____ SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00009	COMMODITY CODE: 070-51-044389 TRUCK, VERY HEAVY DUTY CAB & CHASSIS, (LATEST MODEL AVAILABLE) DIESEL, 168" WHEELBASE 101" CAB TO AXLE, 250 G.H.P., 52,000-LBS. GVWR, WITH 10-12 YARD DUMP BODY TO BE SELECTED BY AGENCY. REF: SPECIFICATION NO. 07051D FOB: BATON ROUGE OR DEALER MAKE & MODEL:FREIGHTLINER FL-80 OR EQUAL DELIVERY TIME:_____ DAYS ARO WARREN INC. BRAND 10-12 YARD DUMP BODY PER SPECIFICATIONS CODE 07051D PRICE:_____	19	EACH	_____	_____
	OX BODIES INC. BRAND 10-12 YARD DUMP BODY PER SPECIFICATIONS CODE 07051D PRICE:_____				
	SUPERIOR 10-12 YARD DUMP BODY PER SPECIFICATIONS CODE 07051D PRICE:_____				
	COMPLETE WITH ALL STANDARD FACTORY EQUIPMENT AND IN STRICT ACCORDANCE WITH THE ATTACHED SPECIFICATIONS. COLOR SELECTION: EXTERIOR COLOR: (AGENCY TO SPECIFY)				

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 56
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	INTERIOR COLOR: (AGENCY TO SPECIFY) _____ THE ORIGINAL INVOICE, CERTIFICATE OF ORIGIN, ODOMETER DISCLOSURE STATEMENT AND WARRANTY SHALL BE DELIVERED WITH THE VEHICLE (S) AND MUST BE ISSUED IN THE NAME OF: (AGENCY TO SPECIFY) VENDOR TO MAIL A DUPLICATE COPY OF THE INVOICE DIRECTLY TO THE AGENCY'S "BILL TO" ADDRESS STATED ON THE ORDER. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00010	COMMODITY CODE: 070-51-044389 TRUCK, VAN BODY, 18-FT. METAL, LYNCOACH OR EQUAL .40" THICK ALUMINUM SKIN, 18-FT LONG, 8-FT HIGH, 78" WIDE INSIDE. FOR USE WITH LINE 00004 UNIT PRICE IS FOR UPGRADE FROM 16FT VAN BODY TO 18FT VAN BODY. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH	_____	_____
00011	COMMODITY CODE: 070-51-114829 TRUCK, VAN BODY, 20-FT. METAL, LYNCOACH, OR EQUAL. .040" THICK ALUMINUM SKIN, 20-FT. LONG, 8-FT. HIGH, 7'8" WIDE INSIDE. FOR USE WITH LINE NO. 00004. UNIT PRICE IS FOR UPGRADE FROM 16FT VAN BODY TO 20FT VAN BODY.	1	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 57
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	SPECIFY BRAND (& NUMBER IF APPLICABLE) _____ _____				
00012	COMMODITY CODE: 070-51-114830 TRUCK, VAN BODY, 22-FT. METAL, LYNCOACH, OR EQUAL. .040" THICK ALUMINUM SKIN, 22-FT. LONG, 8-FT. HIGH, 7'8" WIDE INSIDE. FOR USE WITH LINE NUMBER 00004. UNIT PRICE IS FOR UPGRADE FROM 16FT VAN BODY TO 22FT VAN BODY. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH	_____	_____
00013	COMMODITY CODE: 070-51-114831 TRUCK, VAN BODY, 24-FT. METAL, LYNCOACH, OR EQUAL. .040" THICK ALUMINUM SKIN, 24-FT. LONG, 8-FT. HIGH, 7'8" WIDE INSIDE. FOR USE WITH LINE NUMBER 00004. UNIT PRICE IS FOR UPGRADE FROM 16FT VAN BODY TO 24FT VAN BODY. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH	_____	_____
00014	COMMODITY CODE: 070-47-114827 TAILGATE LIFT; 2,000-LBS CAPACITY, FLIPAWAY TYPE, WALTCO OR EQUAL. 32" X 84" WITH 4" RAMPS. FOR USE WITH LINE NUMBER 00004. UNIT PRICE IS FOR UPGRADE FROM RAMPS	1	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 TIME: 10:00 AM T-NUMBER : 92207		BIDDER:			PAGE 58
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	SUPPLIED WITH LINE 00004. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00015	COMMODITY CODE: 070-47-044394 TAILGATE LIFT, 2,500-LBS. CAPACITY, FLIP-A-WAY TYPE, 32" X 84", WITH 4" RAMPS, WALTCO OR EQUAL. FOR USE WITH LINE NUMBER 00004 UNIT PRICE IS FOR UPGRADE FROM RAMPS SUPPLIED WITH LINE 00004. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH	_____	_____
00016	COMMODITY CODE: 070-47-114826 TAILGATE LIFT; 3,000-LBS CAPACITY, FLIPAWAY TYPE, WALTCO OR EQUAL. 32' X 84" WITH 4" RAMPS, FOR USE WITH LINE NUMBER 00004. UNIT PRICE IS FOR UPGRADE FROM RAMPS SUPPLIED WITH LINE 00004. SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH	_____	_____
00017	COMMODITY CODE: 070-47-114827 TAILGATE LIFT; 3,000-LBS CAPACITY, FLIPAWAY TYPE, WALTCO OR EQUAL 32" X 84" WITH NO RAMPS. FOR USE WITH LINE NUMBER 00001	1	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 T-NUMBER : 92207		BIDDER:			PAGE 59
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	<div>SPECIFY BRAND (& NUMBER IF APPLICABLE)</div> <div></div>				
00018	<div>COMMODITY CODE: 070-51-114828</div> <div>TRUCK, VAN BODY, 16-FT. METAL, LYNCOACH, OR EQUAL .040" THICK ALUMINUM SKIN, 16-FT. LONG, 8-FT. HIGH, 7'8" WIDE INSIDE. FOR USE WITH LINE NUMBER 00001.</div> <div>SPECIFY BRAND (& NUMBER IF APPLICABLE)</div> <div></div>	1	EACH		
00019	<div>COMMODITY CODE: 070-51-114828</div> <div>TRUCK, VAN BODY, 18-FT. METAL, LYNCOACH, OR EQUAL .040" THICK ALUMINUM SKIN, 18-FT. LONG, 8-FT. HIGH, 7'8" WIDE INSIDE, FOR USE WITH LINE NUMBER 00001.</div> <div>SPECIFY BRAND (& NUMBER IF APPLICABLE)</div> <div></div>	1	EACH		
00020	<div>COMMODITY CODE: 070-51-114829</div> <div>TRUCK, VAN BODY, 20-FT. METAL, LYNCOACH, OR EQUAL .040" THICK ALUMINUM SKIN, 20-FT. LONG, 8-FT. HIGH, 7'8" WIDE INSIDE, FOR USE WITH LINE 00001.</div> <div>SPECIFY BRAND (& NUMBER IF APPLICABLE)</div> <div></div>	1	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2183027 OPEN DATE : 11/06/03 T-NUMBER : 92207		BIDDER:			PAGE 60
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00021	COMMODITY CODE: 070-51-114824 PLATFORM BODY, KNAPHEIDE MODEL PCH-163B OR EQUAL. COMPLETE WITH HOIST, MODEL 1520 OR EQUAL AND WITH MANUAL TARPING SYSTEM. FOR USE WITH LINE #00001, AND #00004 SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH	_____	_____
00022	COMMODITY CODE: 070-47-114825 TAILGATE LIFT; 2000-LBS CAPACITY, FLIPAWAY TYPE, WALTCO, 32" X 84" WITH 12" RAMPS. UNIT PRICE IS FOR DELETION OF RAMPS SUPPLIED WITH LINE 00004 SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	1	EACH	_____	_____